

Kitchen

Elevating
your everyday
home
experience

Catalogue 2025

elleci
TOGETHER, WITH STYLE

Kitchen

Contents

Together, with Style	4
Elleci District	6
Materials	8
Colours	10
Elleci Kitchen	12
Trends	14
Drain System	18
Smart area	20

Workstations	26
Bowls	58
Sinks	102
Accessories	166
Taps	176
Elleci Pure	182
Hobs	198
Appliances	214
Elleci Zero	226



Together, with Style

Elleci is a **collective story**, one in which entrepreneurial spirit, individual talents and shared dreams have come together in an ambitious project: forging a connection between technological progress and humanistic values. A strong and unmistakable vision that puts **people in the centre** of the product design and manufacturing process: the result is a **unique style**, one that takes an appreciation for **the beautiful, the useful and the joyful** and gives it a modern take.

elleci district

For over thirty years, we've been creating innovative materials and bringing to life ideas that improve people's quality of life.

Elleci District is a tech hub where every department develops and shares specialist expertise in a virtuous circle to take our company know-how to the next level.


The Elleci Innovation Centre is the focal point of our headquarters, bringing together researchers, designers, engineers and technicians who all work together every day to develop new solutions.

100,000 sq m Total floor area

50,000 sq m Factory floor area

1.2 Million units/year

Production capacity



elleci plant 1

Original facility focused on product customization.

elleci plant 2

New facility geared towards sustainable technology and automation.

elleci innovation center

Permanent R&D lab developing materials and products.

elleci care

Professional pre- and after-sales customer support.

elleci home

Area currently under construction for hospitality, training and social engagement.

Innovation equals responsibility

The journey to a sustainable growth model is marked by clear goals, real-world actions, and certified quality. It is a daily commitment for a better world.



Environmental

The 2030 green transition plan hinges on recycled and renewable raw materials, clean energy, water reuse, and a reduction in emissions and industrial waste.

Social

To support professional growth and the quality of life of our workers, we develop training and company welfare initiatives along with new formulas to promote a healthy work-life balance.

Governance

The challenge of achieving sustainability doesn't end with short-term goals, and instead lies in making sustainability the driver of our future growth.



Materials
50% recycled and renewable raw materials



Energy
50% from renewable sources



Water
50% reduction in water use for manufacturing



Emissions
50% reduction in CO₂ eq



Waste
50% reduction in waste generated by the production cycle



ISO 45001/2018
for occupational health and safety management



ISO 14001/2015
for environmental management in terms of the correct impact of company activities on the ecosystem



ISO 9001/2015
for quality management to ensure customer satisfaction, in terms of ongoing development and improvement

View our Sustainability Report:
elleci.com

Materials

In the Elleci Innovation Centre, our team of researchers merges expertise and industry-leading technology with innovation. The resulting materials offer high performance, created to have a positive impact on people's daily lives.

GRANITEK

A material engineered with quartz sand whose distinguishing features are its slightly textured stony surface and natural colours. The technology brings out the stone's inherent qualities and improves its performance, resulting in a hygienic, highly resistant and durable surface.

Surface
**Stony
Textured**

Colours
**Natural
Matte**

Insight
**Made
to last**

20%
Acrylic Resin

80%
Engineered
Quartz

elleci innovation center

Forging solutions by technology


KERATEK

This nanotech-based premium material stands out for its wonderfully smooth surface and deep, matte colours. Nanoparticles make the structure extremely solid, boosting its performance and aesthetic quality.

Surface
Silky
Smooth

Colours
Deep
Dusty

Insight
High
Tech



Nanoparticles are the next-level, innovative core of Keratek.

Colours

Specifications	GRANITEK	KERATEK
 Resistant to temperature changes (UNI EN 13310)	● ● ●	● ● ●
 Heat resistant to 180°C (UNI EN 13310)	● ● ●	● ● ●
 Shock resistant (UNI EN 13310)	● ● ●	● ● ●
 Stain resistant (UNI EN 13310)	● ● ○	● ● ●
 Resistant to instant boiling water	● ● ●	● ● ●
 Low chemical emissions for good indoor air quality (GREENGUARD)	● ● ●	● ● ●
 Safe for the environment and health	● ● ●	● ● ●
 High hygiene rating for contact with food (NSF)	● ●	● ● ●
 Easy to clean	● ●	● ● ●
 Dense water-repellent surface	● ●	● ● ●
 Rich colours	● ○	● ● ●
 Extended warranty	up to 10 years	up to 20 years

Our material certifications:



THE INTERNATIONAL EPD® SYSTEM

ISO 14025
environmental declaration



GREENGUARD
GOLD

Low chemical emissions
UL.com/GG UL 2818



NSF

Highly hygienic
material

GRANITEK

KERATEK



From the deepest blacks to the purest white, with a selection of warm tones and alluring greys in between, the stony beauty of Granitek and elegance of Keratek come in a range of contemporary shades, embracing a different sensory approach. Three classic colours complete the offering.



elleci kitchen

**Organization, style and everyday pleasures:
kitchens designed around the lives of their inhabitants.**

The kitchen is the heart of the home, the place where we share stories, laughs and little moments of happiness. A quick breakfast to set you up for the day, a family lunch, an intimate dinner or a night of entertaining: every moment we spend with our loved ones is precious.

Elleci Kitchen provides you with your very own daily haven, delivering solutions designed to create beautiful and incredibly practical spaces, turning everyday routines into an engaging and highly rewarding experience.

It's all about the materials. Granitek with its natural tones, Keratek with its deep, sophisticated nuances and our Total Black editions elevate the design of our sinks. The prep area evolves into a versatile workspace with the addition of accessories designed to move with you and mixers that combine advanced function with on-trend finishes. The base unit under the sink becomes a well-organized, hi-tech, high-performance space with the Elleci Pure water filtration system and Elleci Zero organic waste disposal, catering to the desire for a hassle-free and sustainable lifestyle.

The collections featuring coloured and glass hobs, ovens and small appliances designed for a coherent look provide you with the ideal technological tools to express your creativity, have fun and cook with love.

In a kitchen tailored to you, everything's easier, giving you time to enjoy the things that really matter, every day.

Trends

Black-on-black elegance and natural shades.
New products, colours and special collections

Deep black cements its status as a truly stylish option and is a trend set to stay.

From matte black sinks and mixers to refined appliances, black is the most popular colour choice, giving the interior a distinctive, modern character.

Urban plus oven and microwave
total black



Nami mixer
gun metal



Flow Pro drain system
gun metal



Spazio workstation 600
total black



Time workstation undermount 130
total black



Urban glass 75 hob total black





Unico 305
G39 bianco soft



Plano oven
G43 tortora



Best workstation 130
K87 cocoa



Time workstation 130 G43 tortora



Urban induction hob 80 city dune

The hottest interior design trend is an emphasis on natural colours. Bianco Soft, Tortora and earthy shades give a feeling of warmth, authenticity and comfort, inspiring a relaxing atmosphere that makes the perfect setting for gathering and entertaining.

Trends

Gun metal, black and grey

A new finish and on-trend accessories

The dark tones of the Black, in its deep, matte guise, and of the new Gun Metal complement the aesthetics of our mixers and metal components to perfection. The ultra-modern look evokes a boldness, ruggedness and technologically cutting-edge feel.

Drainer flex 500 grey




Flow Pro
drain system
gun metal

Kai mixer
gun metal



Drainer flex 440 black



Drain System

The modern drain system: good looking, efficient, practical to use and maintain

Open Up

Push remote control with a pared-back look.

Open Twist

Twist remote control with a super-sleek surface.



Flow Pro

Flow Pro redefines the drain concept and turns a technical component into a distinctive feature, taking ergonomics, functionality and aesthetics to a whole new exclusive level.



Black



Gun metal



Stainless steel

The optional remote controls interact with the different **Flow Pro**, **Flow** and **Ghost** systems to elevate the user experience by allowing you to open and close the drain remotely.

The three finishes — Black, Gun Metal and Stainless Steel — enhance the design and create a coherent look across the whole interior.

Open Up



Open Twist



Flow

Clean lines and a touch of style are the distinguishing traits of Flow, which is designed to improve water outflow and usability compared to traditional drain systems.



Black



Stainless steel

Ghost

The cover conceals the drain and becomes a design feature, matching seamlessly with the bowl, mixer and accessories or used to create colour contrasts.



Black



Stainless steel

Smart area

Smart, hi-tech, eco-friendly: organize your under-sink cabinet with advanced functionality

elleci pure

The filtration program removes the harmful substances found in your water supply and makes your water healthier and better tasting than ever before by using a combination of microfiltration, activated carbon and silver salts to treat your tap water.

elleci zero

The organic waste disposal system rids the kitchen of overflowing waste bins and bad smells. Convenient, safe and whisper quiet, the food waste disposal unit grinds and removes food scraps in a matter of seconds, flushing them out into the wastewater system together with the tap water.





Workstations

Best



BEST 360



BEST 130



BEST 105



BEST 104

Spazio



SPAZIO 900XL



SPAZIO 900



SPAZIO 600 XL



SPAZIO 600

Time



TIME 130



TIME 105



TIME 102

Time Undermount



TIME UNDERMOUNT
130



TIME UNDERMOUNT
105

Bowls

Zen / Zen F




ZEN / ZEN F 130



ZEN / ZEN F 105



ZEN / ZEN F 102



ZEN / ZEN F 150

new

Karisma



KARISMA 120



KARISMA 105

KARISMA 120
UNDERMOUNTKARISMA 105
UNDERMOUNT

Quadra



QUADRA 130



QUADRA 120

new



QUADRA 110



QUADRA 105



QUADRA 102



QUADRA 100



QUADRA 350



QUADRA 340



QUADRA 440



QUADRA 150



QUADRA 50

Quadra Undermount

QUADRA 130
UNDERMOUNTQUADRA 120
UNDERMOUNT

new

QUADRA 110
UNDERMOUNTQUADRA 105
UNDERMOUNTQUADRA 102
UNDERMOUNTQUADRA 100
UNDERMOUNTQUADRA 350
UNDERMOUNTQUADRA 340
UNDERMOUNTQUADRA 440
UNDERMOUNTQUADRA 150
UNDERMOUNTQUADRA 50
UNDERMOUNT

Fox



FOX 360

new
design

FOX 200



FOX ROUND

Sinks

Best



Unico



Ego



Easy



Life



Master



Black Edition new

Best



Time / Time Undermount




Unico




Best WORKSTATION


A modern and super-efficient workstation: Best workstation offers the ultimate in capacity and three work levels providing built-in ledges to accommodate sliding accessories, which make prepping a breeze.



BEST WORKSTATION MODELS



Best 360



Best 130



Best 105



Best 104



Best 360 sink - K86 Black
Nami tap - GM Gun Metal

GRANITEK



KERATEK



Best WORKSTATION

The kitchen is the place where, every day, we feed our enjoyment of simple and genuine things or we have fun exploring new flavours. A well-organized workspace gives us room to unleash our creativity and makes caring for ourselves and our loved ones even more gratifying.






TOTAL BLACK, A SPECIAL EDITION CHARACTERIZED BY A RICH BLACK INTENDED TO SHOW OFF THE AESTHETIC DESIGN OF THE BEST WORKSTATION TO BEST EFFECT

Best

WORKSTATION

Best 360



SINGLE-BOWL SINK

Dimensions	860 x 510 mm
Base unit	900 mm
Cutout	840 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount


GRANITEK

G40	Nero	LGB36040
G78	Espresso	LGB36078
G48	Cemento	LGB36048
G43	Tortora	LGB36043
M79	Nuvola	LMB36079
G39	Bianco Soft	LGB36039
G68	Bianco	LGB36068
G59	Antracite	LGB36059
G51	Avena	LGB36051

KERATEK

K86	Black	LKB36086
K87	Cocoa	LKB36087
K99	Concrete	LKB36099
K89	Dove	LKB36089
K88	Cloud	LKB36088
K95	Champagne	LKB36095
K96	White	LKB36096

Best 130



SINGLE-BOWL SINK

Dimensions	790 x 510 mm
Base unit	800 mm
Cutout	770 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40	Nero	LGB13040
G78	Espresso	LGB13078
G48	Cemento	LGB13048
G43	Tortora	LGB13043
M79	Nuvola	LMB13079
G39	Bianco Soft	LGB13039
G68	Bianco	LGB13068
G59	Antracite	LGB13059
G51	Avena	LGB13051



KERATEK

K86	Black	LKB13086
K87	Cocoa	LKB13087
K99	Concrete	LKB13099
K89	Dove	LKB13089
K88	Cloud	LKB13088
K95	Champagne	LKB13095
K96	White	LKB13096

Best

WORKSTATION

Best 105



SINGLE-BOWL SINK

Dimensions	570 x 510 mm
Base unit	600 mm
Cutout	550 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount



GRANITEK

G40	Nero LGB10540
G78	Espresso LGB10578
G48	Cemento LGB10548
G43	Tortora LGB10543
M79	Nuvola LMB10579
G39	Bianco Soft LGB10539
G68	Bianco LGB10568
G59	Antracite LGB10559
G51	Avena LGB10551

KERATEK

K86	Black LKB10586
K87	Cocoa LKB10587
K99	Concrete LKB10599
K89	Dove LKB10589
K88	Cloud LKB10588
K95	Champagne LKB10595
K96	White LKB10596

Best 104



SINGLE-BOWL SINK

Dimensions	510 x 510 mm
Base unit	500 600 mm if at the start of a run of cabinets
Cutout	490 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40	Nero LGB10440
G78	Espresso LGB10478
G48	Cemento LGB10448
G43	Tortora LGB10443
M79	Nuvola LMB10479
G39	Bianco Soft LGB10439
G68	Bianco LGB10468
G59	Antracite LGB10459
G51	Avena LGB10451

KERATEK


K86	Black LKB10486
K87	Cocoa LKB10487
K99	Concrete LKB10499
K89	Dove LKB10489
K88	Cloud LKB10488
K95	Champagne LKB10495
K96	White LKB10496

WHAT'S INCLUDED
Space-saving trap, Flow Pro, Rectangular overflow, Mounting kit.

COMPONENTS
Rectangular overflow




FINISHES



Best

WORKSTATION

Best 360 Total Black new



SINGLE-BOWL SINK

Dimensions	860 x 510 mm
Base unit	900 mm
Cutout	840 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount


GRANITEK

G40	Nero LGB36040BKM
-----	---------------------

KERATEK

K86	Black LKB36086BKM
-----	----------------------

Best 130 Total Black new



SINGLE-BOWL SINK

Dimensions	790 x 510 mm
Base unit	800 mm
Cutout	770 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40	Nero LGB13040BKM
-----	---------------------


KERATEK

K86	Black LKB13086BKM
-----	----------------------

Best

WORKSTATION

Best 105 Total Black new



SINGLE-BOWL SINK

Dimensions	570 x 510 mm
Base unit	600 mm
Cutout	550 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount


GRANITEK

G40	Nero LGB10540BKM
-----	---------------------

KERATEK

K86	Black LKB10586BKM
-----	----------------------

Best 104 Total Black new



SINGLE-BOWL SINK

Dimensions	510 x 510 mm
Base unit	500 600 mm if at the start of a run of cabinets
Cutout	490 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40	Nero LGB10440BKM
-----	---------------------

KERATEK

K86	Black LKB10486BKM
-----	----------------------

Best WORKSTATION

STYLE IDEAS

Nami new




Specifications and other finishes on page 185

- GM Gun metal
MOKNAMGM

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD
BEST WORKSTATION



- BK Black
ATH073BK
- QU Quercia
ATH073QU
- WD Wood
ATH073WD

ALL MODELS

DRAINER FLEX
500



- BK Black
ARS023BK
- GR Grey
ARS023GR

ALL MODELS

COLANDRER
380



- BK Black
AVP038BK
- GR Grey
AVP038GR

ALL MODELS

BOWL 380



- BK Black
ABP038BK
- GR Grey
ABP038GR

ALL MODELS

SOAP DISPENSER
ROUND



- BK Black
ADI02304BK
- GM Gun metal
ADI02304GM
- CR Chrome
ADI02304CR

ALL MODELS

SOAP DISPENSER
SQUARE



- CR Chrome
ADI02301

ALL MODELS

POD 250



- BK Black
APS250BK
- GR Grey
APS250GR

DRAIN SYSTEM

FLOW PRO SYSTEM



- BK Black
KITWPT-F-1VSELL-BK
- GM Gun metal
KITWPT-F-1VSELL-GM
- IN Stainless steel
KITWPT-F-1VSELL-IN

ALL MODELS

FLOW PRO OPEN UP



- BK Black
KITASP-F-1VSELL-BK
- GM Gun metal
KITASP-F-1VSELL-GM
- IN Stainless steel
KITASP-F-1VSELL-IN

ALL MODELS

FLOW PRO OPEN TWIST



- BK Black
KITASPT-F-1VSELL-BK
- IN Stainless steel
KITASPT-F-1VSELL-IN

ALL MODELS

ELLECI ZERO



- 60 Series
TDZ060GR
- 100 Series
TDZ100GR

ALL MODELS

Best WORKSTATION

Best 360 sink - K86 Black
Wave tap - BK Black




Spazio

WORKSTATION




reddot winner 2023


Farmhouse inspo meets contemporary lifestyle to forge Spazio: the infinitely practical sink features clean lines and a drop-in design with a visible apron extending beyond the front of the cabinet.



SPAZIO WORKSTATION MODELS




Spazio 900



Spazio 900
Extra



Spazio 600



Spazio 600
Extra



Spazio 900 sink - K96 White
River tap - CR Chrome

KERATEK



Spazio

WORKSTATION

Some things haven't changed over the ages: the kitchen is still home to taste, gatherings and everyday pleasures. The Spazio collection graces modern abodes with comfort and a welcoming atmosphere, featuring a linear design that blends with different interior styles.



NEW
SPAZIO 600




BOTH SPAZIO 900 AND THE NEW SPAZIO 600 MODEL COME IN A CHOICE OF "STANDARD" OR "EXTRA" TO FIT PERFECTLY ON TOPS 60 OR 64 CM DEEP.

Spazio

WORKSTATION

Spazio 900 | Spazio 900 EXTRA



SINGLE-BOWL SINK

Spazio 900 dimensions	900 x 635 mm
Spazio 900 XL dimensions	900 x 665 mm
Base unit	900 mm
Cutout	Per template
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount



KERATEK

Spazio 900


K86	Black LKS90086
K87	Cocoa LKS90087
K99	Concrete LKS90099
K89	Dove LKS90089
K88	Cloud LKS90088
K95	Champagne LKS90095
K96	White LKS90096

Spazio 900 EXTRA

K86	Black LKS90086XLP
K87	Cocoa LKS90087XLP
K99	Concrete LKS90099XLP
K89	Dove LKS90089XLP
K88	Cloud LKS90088XLP
K95	Champagne LKS90095XLP
K96	White LKS90096XLP



Spazio 600 | Spazio 600 EXTRA new



SINGLE-BOWL SINK

Spazio 600 dimensions	600 x 635 mm
Spazio 600 XL dimensions	600 x 665 mm
Base unit	600 mm
Cutout	Per template
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount



KERATEK

Spazio 600

K86	Black LKS60086
K87	Cocoa LKS60087
K99	Concrete LKS60099
K89	Dove LKS60089
K88	Cloud LKS60088
K95	Champagne LKS60095
K96	White LKS60096


Spazio 600 EXTRA

K86	Black LKS60086XLP
K87	Cocoa LKS60087XLP
K99	Concrete LKS60099XLP
K89	Dove LKS60089XLP
K88	Cloud LKS60088XLP
K95	Champagne LKS60095XLP
K96	White LKS60096XLP



WHAT'S INCLUDED
Space-saving trap, Flow Pro, Rectangular overflow, Mounting kit.

COMPONENTS



Rectangular overflow



Flow Pro

FINISHES



IN Stainless steel

Spazio

WORKSTATION

STYLE IDEAS

River new



Specifications and other finishes on page 184

● GM Gun metal
MOKRIVGM

SINK ACCESSORY COMPATIBILITY

CHOPPING BOARD SPAZIO



● BK Black
ATH123BK
● WD Wood
ATH123WD

ALL MODELS

SOAP DISPENSER ROUND



● BK Black
ADIO2304BK
● GM Gun metal
ADIO2304GM
● CR Chrome
ADIO2304CR

ALL MODELS

SOAP DISPENSER SQUARE



● CR Chrome
ADIO2301

ALL MODELS

POD 250



● BK Black
APS250BK
● GR Grey
APS250GR

DRAIN SYSTEM

FLOW PRO SYSTEM



● BK Black
KITWPT-F-1VSELL-BK
● GM Gun metal
KITWPT-F-1VSELL-GM
● IN Stainless steel
KITWPT-F-1VSELL-IN

ALL MODELS

FLOW PRO OPEN UP



● BK Black
KITASP-F-1VSELL-BK
● GM Gun metal
KITASP-F-1VSELL-GM
● IN Stainless steel
KITASP-F-1VSELL-IN

ALL MODELS

FLOW PRO OPEN TWIST



● BK Black
KITASPT-F-1VSELL-BK
● IN Stainless steel
KITASPT-F-1VSELL-IN

ALL MODELS

ELLECI ZERO




60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS

Time


WORKSTATION

The new collection of Time workstation sinks, in Granite, optimizes space, organizes tasks and stands out for its stylish details. With a set of bespoke accessories, every element has its place and its function.




TIME WORKSTATION MODELS

new



Time 130

new



Time 105

new



Time 102

NEW
COLLECTION



Time 130 sink - G48 Cemento
Ventum tap - BK Black

GRANITEK

- G40
NERO
- G78
ESPRESSO
- G48
CEMENTO
- G43
TORTORA
- G39
BIANCO
SOFT
- G68
BIANCO

Time

WORKSTATION

The tap ledge becomes the control centre, home to the tap, switches and small accessories like the soap dispenser, while accessories can glide along the inside lip, creating a dynamic workspace that you can tailor to your own requirements.





NEW
COLLECTION

TIME CELEBRATES THE PLEASURE TO BE FOUND IN DAILY ROUTINES AND ELEVATES SIMPLE MOMENTS OF THE DAY FROM THE ORDINARY TO THE EXTRAORDINARY.

Time

WORKSTATION

Time 130 new





SINGLE-BOWL SINK

Dimensions	790 x 510 mm
Base unit	800 mm
Cutout	770 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

- G40 Nero LG213040
- G78 Espresso LG213078
- G48 Cemento LG213048
- G43 Tortora LG213043
- G39 Bianco Soft LG213039
- G68 Bianco LG213068

Time 105 new



SINGLE-BOWL SINK

Dimensions	570 x 510 mm
Base unit	600 mm
Cutout	550 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount



GRANITEK

- G40 Nero LG210540
- G78 Espresso LG210578
- G48 Cemento LG210548
- G43 Tortora LG210543
- G39 Bianco Soft LG210539
- G68 Bianco LG210568

Time

WORKSTATION

Time 102 new



SINGLE-BOWL SINK

Dimensions	450 x 510 mm
Base unit	450 500 mm if at the start of a run of cabinets
Cutout	430 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK


G40	Nero LG210240
G78	Espresso LG210278
G48	Cemento LG210248
G43	Tortora LG210243
G39	Bianco Soft LG210239
G68	Bianco LG210268

Recommended accessories



DRAINER FLEX 440

BOWL 380



- BK Black
ARS013BK
- GR Grey
ARS013GR

- BK Black
ABP038BK
- GR Grey
ABP038GR



CHOPPING BOARD 380

COLANDER 380



- BK Black
ATH143BK
- WD Wood
ATH143WD

- BK Black
AVP038BK
- GR Grey
AVP038GR

WHAT'S INCLUDED
Space-saving trap, Flow, Round overflow, Mounting kit.

COMPONENTS
Round overflow


Flow

FINISHES
IN Stainless steel

Time

WORKSTATION

Time 130 Total Black **new**




SINGLE-BOWL SINK	
Dimensions	790 x 510 mm
Base unit	800 mm
Cutout	770 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40 Nero
LG213040BKM

Time 105 Total Black **new**



SINGLE-BOWL SINK	
Dimensions	570 x 510 mm
Base unit	600 mm
Cutout	550 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK



G40 Nero
LG210540BKM

Time

WORKSTATION

Time 102 Total Black

new



SINGLE-BOWL SINK

Dimensions	450 x 510 mm
Base unit	450 500 mm if at the start of a run of cabinets
Cutout	430 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40	Nero LG210240BKM
-----	---------------------

WHAT'S INCLUDED
Space-saving trap, Flow, Round overflow, Mounting kit.

COMPONENTS
Round overflow



FINISHES
BK Black

Time

WORKSTATION

STYLE IDEAS

Ventum PURE new



Specifications and other finishes on page 181

ELLECI PURE AFICAMGR



● BK Black
MOKVNTBK

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD 380



● BK Black
ATH143BK
● WD Wood
ATH143WD

ALL MODELS

DRAINER FLEX 440



● BK Black
ARS013BK
● GR Grey
ARS013GR

ALL MODELS

COLANDER 380



● BK Black
AVP038BK
● GR Grey
AVP038GR

ALL MODELS

BOWL 380



● BK Black
ABP038BK
● GR Grey
ABP038GR

ALL MODELS

SOAP DISPENSER ROUND



● BK Black
ADI02304BK
● GM Gun metal
ADI02304GM
● CR Chrome
ADI02304CR

ALL MODELS

SOAP DISPENSER SQUARE



● CR Chrome
ADI02301

ALL MODELS

POD 250



● BK Black
APS250BK
● GR Grey
APS250GR

DRAIN SYSTEM

FLOW SYSTEM



● BK Black
KITWPT-FB-1VTELL-BK
● IN Stainless steel
KITWPT-FB-1VTELL-IN

ALL MODELS

FLOW OPEN UP



● BK Black
KITASP-FB-1VTELL-BK
● IN Stainless steel
KITASP-FB-1VTELL-IN

ALL MODELS

FLOW OPEN TWIST



● BK Black
KITASPT-FB-1VTELL-BK
● IN Stainless steel
KITASPT-FB-1VTELL-IN

ALL MODELS

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS

Time WORKSTATION


**NEW
COLLECTION**

Time 105 sink - G40 Nero
Danubio tap - G40 Nero



Time undermount WORKSTATION

The Time undermount collection comes in two installation options: the precise and elegant undermount version, or the classic top mount. The drain system is concealed by the cover to maintain aesthetic harmony inside the bowl or create colour contrasts.



TIME UNDERMOUNT WORKSTATION MODELS

new




Time
undermount 130

new



Time
undermount 105

**NEW
COLLECTION**



Time undermount 130 sink - G40 Nero
Loch tap - BK Black

GRANITEK

G40
NERO

G78
ESPRESSO

G48
CEMENTO

G43
TORTORA



G39
BIANCO
SOFT

G68
BIANCO

Time undermount

WORKSTATION

Time undermount 130 new




SINGLE-BOWL SINK

Dimensions	750 x 435 mm
Base unit	800 mm
Cutout	700 x 385 mm R12 (undermount)
Cutout	740 x 425 mm R5 (top mount)
Bowl depth	180 mm
Tap ledge	No
Installation	Undermount / Top mount

GRANITEK

G40	Nero LG213040BSO
G78	Espresso LG213078BSO
G48	Cemento LG213048BSO
G43	Tortora LG213043BSO
G39	Bianco Soft LG213039BSO
G68	Bianco LG213068BSO

Time undermount 105 new



SINGLE-BOWL SINK


Dimensions	550 x 435 mm
Base unit	600 mm
Cutout	500 x 385 mm R12 (undermount)
Cutout	540 x 425 mm R5 (top mount)
Bowl depth	180 mm
Tap ledge	No
Installation	Undermount / Top mount

GRANITEK

G40	Nero LG210540BSO
G78	Espresso LG210578BSO
G48	Cemento LG210548BSO
G43	Tortora LG210543BSO
G39	Bianco Soft LG210539BSO
G68	Bianco LG210568BSO

Time undermount WORKSTATION

Time undermount 130 Total Black new



SINGLE-BOWL SINK


Dimensions	750 x 435 mm
Base unit	800 mm
Cutout	700 x 385 mm R12 (undermount)
Cutout	740 x 425 mm R5 (top mount)
Bowl depth	180 mm
Tap ledge	No
Installation	Undermount / Top mount

GRANITEK

G40

Nero
LG213040BSOBKM

Time undermount 105 Total Black new



SINGLE-BOWL SINK

Dimensions	550 x 435 mm
Base unit	600 mm
Cutout	500 x 385 mm R12 (undermount)
Cutout	540 x 425 mm R5 (top mount)
Bowl depth	180 mm
Tap ledge	No
Installation	Undermount / Top mount

GRANITEK

G40

Nero
LG210540BSOBKM

WHAT'S INCLUDED

Space-saving trap, Ghost system, Round overflow, Mounting kit.

COMPONENTS

Round
overflowGhost
System

BK Black

Time undermount WORKSTATION

STYLE IDEAS

Loch new



Specifications and other finishes on page 187

● BK Black
MOKLOCBK

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD
380



● BK Black
ATH143BK
● WD Wood
ATH143WD

ALL MODELS

DRAINER FLEX
440



● BK Black
ARS013BK
● GR Grey
ARS013GR

ALL MODELS

COLANDER
380



● BK Black
AVP038BK
● GR Grey
AVP038GR

ALL MODELS

BOWL 380



● BK Black
ABP038BK
● GR Grey
ABP038GR

ALL MODELS

POD 250




● BK Black
APS250BK
● GR Grey
APS250GR

ALL MODELS


DRAIN SYSTEM

GHOST SYSTEM




ALL MODELS

GHOST SYSTEM OPEN UP



ALL MODELS

GHOST SYSTEM OPEN TWIST



ALL MODELS

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS

Time undermount WORKSTATION

NEW
COLLECTION


Time undermount 130 sink - G40 Nero
Loch tap - BK Black
Hob - Urban 75 Glass
Oven - Urban Plus



Zen

COLLECTION

The allure of pared-back design is embodied in perfect geometries and in the symmetry of the different elements. Zen is a collection of premium bowls, designed to conjure up a sense of balance and contemporary refinement.



ZEN MODELS



Zen 130



Zen 105



Zen 102



Zen 150



Zen 105 sink - K96 White
Kai tap - GM Gun Metal


KERATEK

- K86
BLACK
- K87
COCOA
- K99
CONCRETE
- K89
DOVE
- K88
CLOUD
- K95
CHAMPAGNE
- K96
WHITE

Zen

COLLECTION

Zen 130




SINGLE-BOWL SINK

Dimensions	756 x 456 mm
Base unit	800 mm
Cutout	745 x 445 mm R5 (top mount)
Cutout	700x 400 mm R10 (undermount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount / Undermount

KERATEK

- K86** Black LKZ13086
- K87** Cocoa LKZ13087
- K99** Concrete LKZ13099
- K89** Dove LKZ13089
- K88** Cloud LKZ13088
- K95** Champagne LKZ13095
- K96** White LKZ13096

Zen 105



SINGLE-BOWL SINK


Dimensions	556 x 456 mm
Base unit	600 mm
Cutout	545 x 445 mm R5 (top mount)
Cutout	500x 400 mm R10 (undermount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount / Undermount

KERATEK

- K86** Black LKZ10586
- K87** Cocoa LKZ10587
- K99** Concrete LKZ10599
- K89** Dove LKZ10589
- K88** Cloud LKZ10588
- K95** Champagne LKZ10595
- K96** White LKZ10596

Zen COLLECTION

Zen 102




SINGLE-BOWL SINK

Dimensions	456 x 456 mm
Base unit	450 500 mm if at the start of a run of cabinets
Cutout	445 x 445 mm R5 (top mount)
Cutout	400x 400 mm R10 (undermount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount / Undermount

KERATEK

K86	Black LKZ10286
K87	Cocoa LKZ10287
K99	Concrete LKZ10299
K89	Dove LKZ10289
K88	Cloud LKZ10288
K95	Champagne LKZ10295
K96	White LKZ10296

Zen 150 new



DOUBLE-BOWL SINK

Dimensions	556 x 456 mm
Base unit	600 mm
Cutout	545 x 445 mm R5 (top mount)
Cutout	500x 400 mm R10 (undermount)
Bowl depth	200 mm and 130 mm
Tap ledge	No
Installation	Top mount / Undermount

KERATEK

K86	Black LKZ15086
K87	Cocoa LKZ15087
K99	Concrete LKZ15099
K89	Dove LKZ15089
K88	Cloud LKZ15088
K95	Champagne LKZ15095
K96	White LKZ15096

WHAT'S INCLUDED
Space-saving trap, Flow Pro, Rectangular overflow, Mounting kit.

COMPONENTS
Rectangular overflow

Flow Pro

FINISHES
IN Stainless steel

Zen

COLLECTION

STYLE IDEAS

Kai new



Specifications and other finishes on page 186

GM Gun metal
MOKKAIGM

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD
418



BK Black
ATH043BK
WD Wood
ATH043WD

ALL MODELS

DRAINER FLEX
440



BK Black
ARS013BK
GR Grey
ARS013GR

ALL MODELS

COLANDER
418



BK Black
AVP035BK

ALL MODELS

POD 250



BK Black
APS250BK
GR Grey
APS250GR

DRAIN SYSTEM

FLOW PRO SYSTEM



BK Black
KITWPT-F-1VSELL-BK
GM Gun metal
KITWPT-F-1VSELL-GM
IN Stainless steel
KITWPT-F-1VSELL-IN

ALL MODELS

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS

Zen

COLLECTION


Zen 105 sink - K96 White
Kai tap - GM Gun Metal



Zen F

COLLECTION

Flush-mount installation enhances the bowl's pure, pared-back design, ensuring a flawless transition between the sink and worktop. Zen F is synonymous with seamless beauty, resulting in precision, harmony and a light feel.



ZEN F MODELS




Zen F 130



Zen F 105



Zen F 102



Zen F 150

new



Zen F 130 sink - K87 Cocoa
Wave tap - BK Black


KERATEK

K86 BLACK	K87 COCOA	K99 CONCRETE	K89 DOVE	K88 CLOUD	K95 CHAMPAGNE	K96 WHITE
--------------	--------------	-----------------	-------------	--------------	------------------	--------------

Zen F

COLLECTION

Zen F 130




SINGLE-BOWL SINK


Dimensions	748x 448 mm
Base unit	800 mm
Cutout	See drawing below
Bowl depth	200 mm
Tap ledge	No
Installation	Flush mount

KERATEK

- K86 Black LKZ13086F01
- K87 Cocoa LKZ13087F01
- K99 Concrete LKZ13099F01
- K89 Dove LKZ13089F01
- K88 Cloud LKZ13088F01
- K95 Champagne LKZ13095F01
- K96 White LKZ13096F01



Zen F 105




SINGLE-BOWL SINK

Dimensions	548x 448 mm
Base unit	600 mm
Cutout	See drawing below
Bowl depth	200 mm
Tap ledge	No
Installation	Flush mount

KERATEK



- K86 Black LKZ10586F01
- K87 Cocoa LKZ10587F01
- K99 Concrete LKZ10599F01
- K89 Dove LKZ10589F01
- K88 Cloud LKZ10588F01
- K95 Champagne LKZ10595F01
- K96 White LKZ10596F01



Zen F

COLLECTION

Zen F 102




SINGLE-BOWL SINK



Dimensions	448x 448 mm
Base unit	500 mm
Cutout	See drawing below
Bowl depth	200 mm
Tap ledge	No
Installation	Flush mount

KERATEK

K86	Black LKZ10286F01
K87	Cocoa LKZ10287F01
K99	Concrete LKZ10299F01
K89	Dove LKZ10289F01
K88	Cloud LKZ10288F01
K95	Champagne LKZ10295F01
K96	White LKZ10296F01



Zen F 150 new




DOUBLE-BOWL SINK

Dimensions	548x 448 mm
Base unit	600 mm
Cutout	See drawing below
Bowl depth	200 mm and 130 mm
Tap ledge	No
Installation	Flush mount

KERATEK

K86	Black LKZ15086F01
K87	Cocoa LKZ15087F01
K99	Concrete LKZ15099F01
K89	Dove LKZ15089F01
K88	Cloud LKZ15088F01
K95	Champagne LKZ15095F01
K96	White LKZ15096F01



Zen F

COLLECTION

STYLE IDEAS

Wave



Specifications and other finishes on page 185

- BK Black
MOKWAVBK

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD
418



- BK Black
ATH043BK
- WD Wood
ATH043WD

ALL MODELS

DRAINER FLEX
440



- BK Black
ARS013BK
- GR Grey
ARS013GR

ALL MODELS

COLANDER
418



- BK Black
AVP035BK

ALL MODELS

POD 250



- BK Black
APS250BK
- GR Grey
APS250GR

DRAIN SYSTEM

FLOW PRO SYSTEM



- BK Black
KITWPT-F-1VSELL-BK
- GM Gun metal
KITWPT-F-1VSELL-GM
- IN Stainless steel
KITWPT-F-1VSELL-IN

ALL MODELS

ELLECI ZERO



- 60 Series
TDZ060GR
- 100 Series
TDZ100GR

ALL MODELS

Zen F

COLLECTION


Zen F 130 sink - K87 Cocoa
Wave tap - BK Black




Karisma

COLLECTION


Harmony and rationality are the distinguishing traits of Karisma, a collection of top-mount and undermount bowls featuring a bold geometric design and a tapered edge to aid with cleaning. The original Square Drain System gives the bowl even more character.



KARISMA MODELS



Karisma 120



Karisma 105



Karisma 120
Undermount



Karisma 105
Undermount



Karisma 120 sink - G68 Bianco
Bridge tap - CR Chrome

GRANITEK

G40
NERO

G43
TORTORA


M79
NUVOLA

G68
BIANCO

Karisma

COLLECTION

Karisma 120




SINGLE-BOWL SINK

Dimensions	700x 500 mm
Base unit	750 mm
Cutout	680 x 480 mm
Bowl depth	220 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40	Nero LGK12040
G43	Tortora LGK12043
M79	Nuvola LMK12079
G68	Bianco LGK12068

Karisma 105



SINGLE-BOWL SINK

Dimensions	570x 500 mm
Base unit	600 mm
Cutout	550 x 480 mm
Bowl depth	220 mm
Tap ledge	Yes
Installation	Top mount


GRANITEK

G40	Nero LGK10540
G43	Tortora LGK10543
M79	Nuvola LMK10579
G68	Bianco LGK10568

Karisma

COLLECTION

Karisma 120 Undermount




SINGLE-BOWL SINK

Dimensions	690x 438 mm
Base unit	750 mm
Cutout	664 x 411 mm R5
Bowl depth	220 mm
Tap ledge	No
Installation	Undermount

GRANITEK

G40	Nero LGK12040BSO
G43	Tortora LGK12043BSO
M79	Nuvola LMK12079BSO
G68	Bianco LGK12068BSO

Karisma 105 Undermount



SINGLE-BOWL SINK

Dimensions	560x 438 mm
Base unit	600 mm
Cutout	534 x 411 mm R5
Bowl depth	220 mm
Tap ledge	No
Installation	Undermount

GRANITEK

G40	Nero LGK10540BSO
G43	Tortora LGK10543BSO
M79	Nuvola LMK10579BSO
G68	Bianco LGK10568BSO

Karisma COLLECTION

STYLE IDEAS

Bridge new design



Specifications and other finishes on page 193

● G40 Nero
MGKBRI40


SINK ACCESSORY COMPATIBILITY

CHOPPING BOARD SLIDING 50



● BK Black
ATH010BK
● QU Quercia
ATH010QU

DRAINER FLEX 440



● BK Black
ARS013BK
● GR Grey
ARS013GR

KARISMA 120 AND 105 ONLY

ALL MODELS

SOAP DISPENSER ROUND



● BK Black
ADI02304BK
● GM Gun metal
ADI02304GM
● CR Chrome
ADI02304CR

SOAP DISPENSER SQUARE



● CR Chrome
ADI02301

KARISMA 120 AND 105 ONLY

KARISMA 120 AND 105 ONLY

POD 250



● BK Black
APS250BK
● GR Grey
APS250GR

DRAIN SYSTEM

SQUARE OPEN UP



● IN Stainless steel
KITASP-Q-1VSELL-IN



KARISMA 120 AND 105 ONLY

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS

SQUARE WASTE DISPOSAL UNIT FLANGE



ATQ01300

Note:
Accessory required to install the waste disposal unit with all
Karisma sinks

Karisma

COLLECTION


Karisma 120 sink - G68 Bianco
 Bridge tap - CR Chrome
 Urban 80 Induction hob - BK Black
 Urban Plus oven - BK Black
 Urban microwave - BK Black




Quadra

COLLECTION

Quadra combines simplicity and modern character. With its square lines, the bowl comes in a wide range of models and colours for a contemporary look and practical, comfortable user experience.



QUADRA MODELS





Quadra 130 sink - G43 Tortora
Trail Plus tap - G43 Tortora

GRANITEK




KERATEK



Quadra COLLECTION

Quadra 130



SINGLE-BOWL SINK

Dimensions	790 x 500 mm
Base unit	800 mm
Cutout	770 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

- G40 Nero LGQ13040
- G78 Espresso LGQ13078
- G48 Cemento LGQ13048
- G43 Tortora LGQ13043
- M79 Nuvola LMQ13079
- G39 Bianco Soft LGQ13039
- G68 Bianco LGQ13068
- G59 Antracite LGQ13059
- G51 Avena LGQ13051
- G62 Bianco Antico LGQ13062


KERATEK

- K86 Black LKQ13086
- K87 Cocoa LKQ13087
- K99 Concrete LKQ13099
- K89 Dove LKQ13089
- K88 Cloud LKQ13088
- K95 Champagne LKQ13095
- K96 White LKQ13096

Quadra 120 new



base
75



SINGLE-BOWL SINK



Dimensions	700x510 mm
Base unit	750 mm
Cutout	680 x 480 mm
Bowl depth	190 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

- G40 Nero LGQ12040
- G48 Cemento LGQ12048
- G43 Tortora LGQ12043
- G68 Bianco LGQ12068

Quadra COLLECTION

Quadra 110



SINGLE-BOWL SINK

Dimensions	610 x 500 mm
Base unit	600 750 mm if at the start of a run of cabinets
Cutout	590 x 480 mm
Bowl depth	190 mm
Tap ledge	Yes
Installation	Top mount



GRANITEK

G40	Nero LGQ11040
G78	Espresso LGQ11078
G48	Cemento LGQ11048
G43	Tortora LGQ11043
M79	Nuvola LMQ11079
G39	Bianco Soft LGQ11039
G68	Bianco LGQ11068
G59	Antracite LGQ11059
G51	Avena LGQ11051
G62	Bianco Antico LGQ11062

KERATEK

K86	Black LKQ11086
K87	Cocoa LKQ11087
K99	Concrete LKQ11099
K89	Dove LKQ11089
K88	Cloud LKQ11088
K95	Champagne LKQ11095
K96	White LKQ11096

Quadra 105



SINGLE-BOWL SINK

Dimensions	570 x 500 mm
Base unit	600 mm
Cutout	550 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40	Nero LGQ10540
G78	Espresso LGQ10578
G48	Cemento LGQ10548
G43	Tortora LGQ10543
M79	Nuvola LMQ10579
G39	Bianco Soft LGQ10539
G68	Bianco LGQ10568
G59	Antracite LGQ10559
G51	Avena LGQ10551
G62	Bianco Antico LGQ10562

KERATEK

K86	Black LKQ10586
K87	Cocoa LKQ10587
K99	Concrete LKQ10599
K89	Dove LKQ10589
K88	Cloud LKQ10588
K95	Champagne LKQ10595
K96	White LKQ10596

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS




Round
overflow



Standard

FINISHES





IN Stainless steel

Quadra

COLLECTION

Quadra 102



SINGLE-BOWL SINK

Dimensions	470 x 500 mm
Base unit	450 500 mm if at the start of a run of cabinets
Cutout	450 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount



GRANITEK

G40	Nero	LGQ10240
G78	Espresso	LGQ10278
G48	Cemento	LGQ10248
G43	Tortora	LGQ10243
M79	Nuvola	LMQ10279
G39	Bianco Soft	LGQ10239
G68	Bianco	LGQ10268
G59	Antracite	LGQ10259
G51	Avena	LGQ10251
G62	Bianco Antico	LGQ10262

KERATEK

K86	Black	LKQ10286
K87	Cocoa	LKQ10287
K99	Concrete	LKQ10299
K89	Dove	LKQ10289
K88	Cloud	LKQ10288
K95	Champagne	LKQ10295
K96	White	LKQ10296

Quadra 100



SINGLE-BOWL SINK

Dimensions	410 x 500 mm
Base unit	450 mm
Cutout	390 x 480 mm
Bowl depth	190 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK



G40	Nero	LGQ10040
G78	Espresso	LGQ10078
G48	Cemento	LGQ10048
G43	Tortora	LGQ10043
M79	Nuvola	LMQ10079
G39	Bianco Soft	LGQ10039
G68	Bianco	LGQ10068
G59	Antracite	LGQ10059
G51	Avena	LGQ10051
G62	Bianco Antico	LGQ10062

KERATEK

K86	Black	LKQ10086
K87	Cocoa	LKQ10087
K99	Concrete	LKQ10099
K89	Dove	LKQ10089
K88	Cloud	LKQ10088
K95	Champagne	LKQ10095
K96	White	LKQ10096

Quadra COLLECTION

Quadra 50



SINGLE-BOWL SINK

Dimensions	230 x 500 mm
Base unit	300 mm
Cutout	215 x 480 mm
Bowl depth	155 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40	Nero LGQ05040
G48	Cemento LGQ05048
G43	Tortora LGQ05043
G68	Bianco LGQ05068

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

KITCHEN

COMPONENTS




Round
overflow

FINISHES



Standard




IN Stainless steel

Quadra

COLLECTION

Quadra 350



DOUBLE-BOWL SINK

Dimensions	790 x 500 mm
Base unit	800 mm
Cutout	770 x 480 mm
Bowl depth	210 mm
Tap ledge	Yes
Installation	Top mount


GRANITEK

- G40 Nero LGQ35040
- G78 Espresso LGQ35078
- G48 Cemento LGQ35048
- G43 Tortora LGQ35043
- M79 Nuvola LMQ35079
- G39 Bianco Soft LGQ35039
- G68 Bianco LGQ35068
- G59 Antracite LGQ35059
- G51 Avena LGQ35051
- G62 Bianco Antico LGQ35062

KERATEK

- K86 Black LKQ35086
- K87 Cocoa LKQ35087
- K99 Concrete LKQ35099
- K89 Dove LKQ35089
- K88 Cloud LKQ35088
- K95 Champagne LKQ35095
- K96 White LKQ35096

Quadra 340



DOUBLE-BOWL SINK


Dimensions	800x 530 mm
Base unit	800 900 mm if at the start of a run of cabinets
Cutout	780 x 510 mm
Bowl depth	215 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

- G40 Nero LGQ34040BTP
- G48 Cemento LGQ34048BTP
- G43 Tortora LGQ34043BTP
- G68 Bianco LGQ34068BTP

Quadra COLLECTION

Quadra 440




DOUBLE-BOWL SINK

Dimensions	815 x 500 mm
Base unit	800 900 mm if at the start of a run of cabinets
Cutout	800 x 480 mm
Bowl depth	215 mm and 190 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

G40	Nero LGQ44040
G48	Cemento LGQ44048
G43	Tortora LGQ44043
G68	Bianco LGQ44068

Quadra 150



DOUBLE-BOWL SINK

Dimensions	590 x 500 mm
Base unit	600 mm
Cutout	570 x 480 mm
Bowl depth	200 mm and 155 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK


G40	Nero LGQ15040
G48	Cemento LGQ15048
G43	Tortora LGQ15043
G68	Bianco LGQ15068

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS



FINISHES



Quadra

COLLECTION

STYLE IDEAS

Trail Plus



G43 Tortora
MGKTRP43

Specifications and other finishes on page 188


SINK ACCESSORY COMPATIBILITY

CHOPPING BOARD
418



BK Black
ATH043BK
WD Wood
ATH043WD

DRAINER FLEX
440



BK Black
ARS013BK
GR Grey
ARS013GR

MODELS 130,120,110,105,102,100,350,150 MODELS 130,120,110,350,150

COLANDER
418



BK Black
AVP035BK

SOAP DISPENSER
ROUND



BK Black
ADI02304BK
GM Gun metal
ADI02304GM
CR Chrome
ADI02304CR

SOAP DISPENSER
SQUARE



CR Chrome
ADI02301

MODELS 130,120,110,105,102,100,350,150 ALL MODELS EXCEPT 50

POD 250



BK Black
APS250BK
GR Grey
APS250GR

DRAIN SYSTEM

STANDARD OPEN UP



IN Stainless steel
KITASP-A-1VTELL-IN
BK Black
KITASP-A-1VTELL-BK



ALL MODELS EXCEPT QUADRA 50

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS EXCEPT QUADRA 50

Quadra COLLECTION


Quadra 130 sink - G43 Tortora
Trail Plus tap - G40 Nero
Plano 75 hob - G43 Tortora
Plano oven - G43 Tortora
Plano microwave - G43 Tortora
Brio hood - BK Black







Quadra

UNDERMOUNT

The undermount Quadra collection makes a feature of the sink/worktop interface, creating an aesthetic and functional continuity that takes the kitchen's design to new heights and makes cleaning that much easier.



QUADRA UNDERMOUNT MODELS

	^{new} 					
Quadra 130 Undermount	Quadra 120 Undermount	Quadra 110 Undermount	Quadra 105 Undermount	Quadra 102 Undermount	Quadra 100 Undermount	Quadra 50 Undermount
						
Quadra 350 Undermount	Quadra 340 Undermount	Quadra 440 Undermount	Quadra 150 Undermount			



Quadra 350 Undermount sink - K99 Concrete
Taos tap - CR Chrome

GRANITEK


- | | | | | | | | | | |
|-------------|-----------------|----------------|----------------|---------------|-----------------------|---------------|------------------|--------------|-------------------------|
| G40
NERO | G78
ESPRESSO | G48
CEMENTO | G43
TORTORA | M79
NUVOLA | G39
BIANCO
SOFT | G68
BIANCO | G59
ANTRACITE | G51
AVENA | G62
BIANCO
ANTICO |
|-------------|-----------------|----------------|----------------|---------------|-----------------------|---------------|------------------|--------------|-------------------------|

KERATEK

- | | | | | | | |
|--------------|--------------|-----------------|-------------|--------------|------------------|--------------|
| K86
BLACK | K87
COCOA | K99
CONCRETE | K89
DOVE | K88
CLOUD | K95
CHAMPAGNE | K96
WHITE |
|--------------|--------------|-----------------|-------------|--------------|------------------|--------------|

Quadra UNDERMOUNT

Quadra 130 Undermount



SINGLE-BOWL SINK

Dimensions	760 x 440 mm
Base unit	800 mm
Cutout	720 x 400 mm R 5
Bowl depth	200 mm
Tap ledge	No
Installation	Undermount

GRANITEK

G40	Nero LGQ13040BSO
G78	Espresso LGQ13078BSO
G48	Cemento LGQ13048BSO
G43	Tortora LGQ13043BSO
M79	Nuvola LMQ13079BSO
G39	Bianco Soft LGQ13039BSO
G68	Bianco LGQ13068BSO
G59	Antracite LGQ13059BSO
G51	Avena LGQ13051BSO
G62	Bianco Antico LGQ13062BSO


KERATEK

K86	Black LKQ13086BSO
K87	Cocoa LKQ13087BSO
K99	Concrete LKQ13099BSO
K89	Dove LKQ13089BSO
K88	Cloud LKQ13088BSO
K95	Champagne LKQ13095BSO
K96	White LKQ13096BSO

Quadra 120 Undermount new



base
75



SINGLE-BOWL SINK



Dimensions	670 x 440 mm
Base unit	750 mm
Cutout	630 x 400 mm R 5
Bowl depth	190 mm
Tap ledge	No
Installation	Undermount

GRANITEK

G40	Nero LGQ12040BSO
G48	Cemento LGQ12048BSO
G43	Tortora LGQ12043BSO
G68	Bianco LGQ12068BSO

Quadra UNDERMOUNT

Quadra 110 Undermount



SINGLE-BOWL SINK

Dimensions	580 x 440 mm
Base unit	750 mm
Cutout	540 x 400 mm R 5
Bowl depth	190 mm
Tap ledge	No
Installation	Undermount



GRANITEK

G40	Nero LGQ11040BSO
G78	Espresso LGQ11078BSO
G48	Cemento LGQ11048BSO
G43	Tortora LGQ11043BSO
M79	Nuvola LMQ11079BSO
G39	Bianco Soft LGQ11039BSO
G68	Bianco LGQ11068BSO
G59	Antracite LGQ11059BSO
G51	Avena LGQ11051BSO
G62	Bianco Antico LGQ11062BSO

KERATEK

K86	Black LKQ11086BSO
K87	Cocoa LKQ11087BSO
K99	Concrete LKQ11099BSO
K89	Dove LKQ11089BSO
K88	Cloud LKQ11088BSO
K95	Champagne LKQ11095BSO
K96	White LKQ11096BSO

Quadra 105 Undermount



SINGLE-BOWL SINK

Dimensions	540 x 440 mm
Base unit	600 mm
Cutout	500 x 400 mm R 5
Bowl depth	200 mm
Tap ledge	No
Installation	Undermount

GRANITEK



G40	Nero LGQ10540BSO
G78	Espresso LGQ10578BSO
G48	Cemento LGQ10548BSO
G43	Tortora LGQ10543BSO
M79	Nuvola LMQ10579BSO
G39	Bianco Soft LGQ10539BSO
G68	Bianco LGQ10568BSO
G59	Antracite LGQ10559BSO
G51	Avena LGQ10551BSO
G62	Bianco Antico LGQ10562BSO

KERATEK

K86	Black LKQ10586BSO
K87	Cocoa LKQ10587BSO
K99	Concrete LKQ10599BSO
K89	Dove LKQ10589BSO
K88	Cloud LKQ10588BSO
K95	Champagne LKQ10595BSO
K96	White LKQ10596BSO

Quadra UNDERMOUNT

Quadra 102 Undermount



SINGLE-BOWL SINK

Dimensions	440 x 440 mm
Base unit	500 mm
Cutout	400 x 400 mm R5
Bowl depth	200 mm
Tap ledge	No
Installation	Undermount



GRANITEK

G40	Nero LGQ10240BSO
G78	Espresso LGQ10278BSO
G48	Cemento LGQ10248BSO
G43	Tortora LGQ10243BSO
M79	Nuvola LMQ10279BSO
G39	Bianco Soft LGQ10239BSO
G68	Bianco LGQ10268BSO
G59	Antracite LGQ10259BSO
G51	Avena LGQ10251BSO
G62	Bianco Antico LGQ10262BSO

KERATEK

K86	Black LKQ10286BSO
K87	Cocoa LKQ10287BSO
K99	Concrete LKQ10299BSO
K89	Dove LKQ10289BSO
K88	Cloud LKQ10288BSO
K95	Champagne LKQ10295BSO
K96	White LKQ10296BSO

Quadra 100 Undermount



SINGLE-BOWL SINK

Dimensions	380 x 440 mm
Base unit	450 mm
Cutout	340 x 400 mm R5
Bowl depth	190 mm
Tap ledge	No
Installation	Undermount

GRANITEK



G40	Nero LGQ10040BSO
G78	Espresso LGQ10078BSO
G48	Cemento LGQ10048BSO
G43	Tortora LGQ10043BSO
M79	Nuvola LMQ10079BSO
G39	Bianco Soft LGQ10039BSO
G68	Bianco LGQ10068BSO
G59	Antracite LGQ10059BSO
G51	Avena LGQ10051BSO
G62	Bianco Antico LGQ10062BSO

KERATEK

K86	Black LKQ10086BSO
K87	Cocoa LKQ10087BSO
K99	Concrete LKQ10099BSO
K89	Dove LKQ10089BSO
K88	Cloud LKQ10088BSO
K95	Champagne LKQ10095BSO
K96	White LKQ10096BSO

Quadra UNDERMOUNT

Quadra 50 Undermount



SINGLE-BOWL SINK

Dimensions	200 x 440 mm
Base unit	300 mm
Cutout	160 x 400 mm R5
Bowl depth	155 mm
Tap ledge	No
Installation	Undermount


GRANITEK

G40	Nero LGQ05040BSO
G48	Cemento LGQ05048BSO
G43	Tortora LGQ05043BSO
G68	Bianco LGQ05068BSO

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

Quadra UNDERMOUNT

Quadra 350 Undermount



DOUBLE-BOWL SINK

Dimensions	760 x 435 mm
Base unit	800 mm
Cutout	720 x 395 mm R5
Bowl depth	220 mm and 220 mm
Tap ledge	No
Installation	Undermount


GRANITEK

G40	Nero LGQ35040BSO
G78	Espresso LGQ35078BSO
G48	Cemento LGQ35048BSO
G43	Tortora LGQ35043BSO
M79	Nuvola LMQ35079BSO
G39	Bianco Soft LGQ35039BSO
G68	Bianco LGQ35068BSO
G59	Antracite LGQ35059BSO
G51	Avena LGQ35051BSO
G62	Bianco Antico LGQ35062BSO

KERATEK

K86	Black LKQ35086BSO
K87	Cocoa LKQ35087BSO
K99	Concrete LKQ35099BSO
K89	Dove LKQ35089BSO
K88	Cloud LKQ35088BSO
K95	Champagne LKQ35095BSO
K96	White LKQ35096BSO

Quadra 340 Undermount



DOUBLE-BOWL SINK


Dimensions	770 x 460 mm
Base unit	900 mm
Cutout	730 x 420 mm R5
Bowl depth	215 mm and 215 mm
Tap ledge	No
Installation	Undermount

GRANITEK

G40	Nero LGQ34040BSC
G48	Cemento LGQ34048BSC
G43	Tortora LGQ34043BSC
G68	Bianco LGQ34068BSC

Quadra UNDERMOUNT

Quadra 440 Undermount





DOUBLE-BOWL SINK

Dimensions	785 x 470 mm
Base unit	900 mm
Cutout	745 x 430 mm R5
Bowl depth	215 mm and 190 mm
Tap ledge	Yes
Installation	Undermount

GRANITEK

G40	Nero LGQ44040BSO
G48	Cemento LGQ44048BSO
G43	Tortora LGQ44043BSO
G68	Bianco LGQ44068BSO

Quadra 150 Undermount



DOUBLE-BOWL SINK

Dimensions	560 x 440 mm
Base unit	600 mm
Cutout	520 x 400 mm R5
Bowl depth	200 mm and 155 mm
Tap ledge	No
Installation	Undermount

GRANITEK

G40	Nero LGQ15040BSO
G48	Cemento LGQ15048BSO
G43	Tortora LGQ15043BSO
G68	Bianco LGQ15068BSO

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS
Round overflow
Standard
FINISHES
IN Stainless steel

Quadra

UNDERMOUNT

STYLE IDEAS

Taos

new



Specifications and other finishes on page 195

● CR Chrome
● MIKTAOCR

SMART AREA

ELLECI ZERO




60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS EXCEPT QUADRA 50

SINK ACCESSORY COMPATIBILITY

DRAINER FLEX
440



COLANDER
418



● BK Black
ARS013BK
● GR Grey
ARS013GR

● BK Black
AVP035BK

MODELS 130,120,110,350,150 MODELS 130,120,110,105,102,100,350,150

POD 250




● BK Black
APS250BK
● GR Grey
APS250GR

Quadra

UNDERMOUNT


Quadra 350 Undermount sink - K99 Concrete
Taos tap - CR Chrome



Fox


COLLECTION

Fox 360's restyling has given the iconic workstation a facelift and caters to a contemporary design aesthetic. From the bowl's geometry to the custom chopping board, every element has been redesigned for an enjoyable and intuitive user experience.




**FOX
MODELS**

new design



Fox 360



Fox 200



Fox Round

NEW
DESIGN



Fox 360 sink - M79 Nuvola
Chef tap - CR Chrome


GRANITEK

- | | | | | | |
|-------------|---------------|---------------|------------------|--------------|-------------------------|
| G40
NERO | M79
NUVOLA | G68
BIANCO | G59
ANTRACITE | G51
AVENA | G62
BIANCO
ANTICO |
|-------------|---------------|---------------|------------------|--------------|-------------------------|

Fox

COLLECTION

Fox 360 new design



SINGLE-BOWL SINK

Dimensions	860 x 500 mm
Base unit	900 mm
Cutout	840 x 480 mm
Bowl depth	210 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Non-reversible

GRANITEK

G40	Nero LGF36040
M79	Nuvola LMF36079
G68	Bianco LGF36068
G62	Bianco Antico LGF36062
G59	Antracite LGF36059
G51	Avena LGF36051

Recommended accessories



CHOPPING BOARD FOX 360



BK Black
ATH153BK



CHOPPING BOARD FOX 360
(WITH BOWL)





WD Wood
ATH153WD

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS
Round overflow
Standard
FINISHES
IN Stainless steel

Fox COLLECTION

Fox 200





SINGLE-BOWL SINK

Dimensions	584 x 504 mm
Base unit	600 mm
Cutout	560 x 480 mm R32
Bowl depth	230 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Non-reversible

GRANITEK

G40	Nero LGF20040
M79	Nuvola LMF20079
G68	Bianco LGF20068
G62	Bianco Antico LGF20062
G59	Antracite LGF20059
G51	Avena LGF20051

Fox Round



SINGLE-BOWL SINK

Dimensions	Ø 451 mm
Base unit	450 mm
Cutout	Ø 430 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Non-reversible

GRANITEK

G40	Nero LGFROU40
M79	Nuvola LMFROU79
G68	Bianco LGFROU68
G62	Bianco Antico LGFROU62
G59	Antracite LGFROU59
G51	Avena LGFROU51

Fox

COLLECTION

STYLE IDEAS

Chef

new design



Specifications and other finishes on page 184

● CR Chrome
MIKCHECR

SINK ACCESSORY COMPATIBILITY

CHOPPING BOARD
FOX 360



● BK Black
ATH153BK

FOX 360 MODEL


CHOPPING BOARD FOX 360
(WITH BOWL)



● WD Wood
ATH153WD

FOX 360 MODEL

DRAINER FLEX
500



● BK Black
ARS023BK
● GR Grey
ARS023GR

FOX 360 MODEL

SOAP DISPENSER
ROUND



● BK Black
ADI02304BK
● GM Gun metal
ADI02304GM
● CR Chrome
ADI02304CR

FOX 360 MODEL

SOAP DISPENSER
SQUARE



● CR Chrome
ADI02301

FOX 360 MODEL

POD 250



● BK Black
APS250BK
● GR Grey
APS250GR

DRAIN SYSTEM

STANDARD OPEN UP



● IN Stainless steel
KITASP-A-1VTELL-IN
● BK Black
KITASP-A-1VTELL-BK

WITH FOX 360 ONLY

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS

Fox

COLLECTION


Fox 360 sink - M79 Nuvola
Chef tap - CR Chrome
Plano 90 hob - G40 Nero
Plano oven - M79 Nuvola




Best

COLLECTION


A modern aesthetic is the inspiration behind the pared-back, no-nonsense lines that give Best's capacious bowl and premium drainer their distinctive look. Each element has been designed to optimize space, interact with the various accessories and keep the worktop clean and tidy.




**BEST
MODELS**




Best 500




Best 480




Best 475



Best 400



Best 450



Best 450
Undermount



Best 480 sink - K86 Black
Ventum tap - BK Black

GRANITEK




KERATEK



Best

COLLECTION

Best 500



DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1160 x 510 mm
Base unit	800 mm
Cutout	1140 x 480 mm
Bowl depth	200 mm and 200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible


GRANITEK

G40	Nero LGB50040
G78	Espresso LGB50078
G48	Cemento LGB50048
G43	Tortora LGB50043
M79	Nuvola LMB50079
G39	Bianco Soft LGB50039
G68	Bianco LGB50068
G59	Antracite LGB50059
G51	Avena LGB50051
G62	Bianco Antico LGB50062

KERATEK

K86	Black LKB50086
K87	Cocoa LKB50087
K99	Concrete LKB50099
K89	Dove LKB50089
K88	Cloud LKB50088
K95	Champagne LKB50095
K96	White LKB50096

Best 480



SINGLE-BOWL SINK WITH DRAINER

Dimensions	1000 x 510 mm
Base unit	600 mm
Cutout	980 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK


G40	Nero LGB48040
G78	Espresso LGB48078
G48	Cemento LGB48048
G43	Tortora LGB48043
M79	Nuvola LMB48079
G39	Bianco Soft LGB48039
G68	Bianco LGB48068
G59	Antracite LGB48059
G51	Avena LGB48051
G62	Bianco Antico LGB48062

KERATEK

K86	Black LKB48086
K87	Cocoa LKB48087
K99	Concrete LKB48099
K89	Dove LKB48089
K88	Cloud LKB48088
K95	Champagne LKB48095
K96	White LKB48096

Best COLLECTION

Best 475



DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1000 x 510 mm
Base unit	600 mm
Cutout	980 x 480 mm
Bowl depth	200 mm and 140 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible


GRANITEK

G40	Nero LGB47540
G78	Espresso LGB47578
G48	Cemento LGB47548
G43	Tortora LGB47543
M79	Nuvola LMB47579
G39	Bianco Soft LGB47539
G68	Bianco LGB47568
G59	Antracite LGB47559
G51	Avena LGB47551
G62	Bianco Antico LGB47562

KERATEK

K86	Black LKB47586
K87	Cocoa LKB47587
K99	Concrete LKB47599
K89	Dove LKB47589
K88	Cloud LKB47588
K95	Champagne LKB47595
K96	White LKB47596

Best 400



SINGLE-BOWL SINK WITH DRAINER

Dimensions	860 x 510 mm
Base unit	450 mm
Cutout	840 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGB40040
G78	Espresso LGB40078
G48	Cemento LGB40048
G43	Tortora LGB40043
M79	Nuvola LMB40079
G39	Bianco Soft LGB40039
G68	Bianco LGB40068
G59	Antracite LGB40059
G51	Avena LGB40051
G62	Bianco Antico LGB40062

KERATEK

K86	Black LKB40086
K87	Cocoa LKB40087
K99	Concrete LKB40099
K89	Dove LKB40089
K88	Cloud LKB40088
K95	Champagne LKB40095
K96	White LKB40096

WHAT'S INCLUDED
Space-saving trap, Flow Pro, Rectangular overflow, Mounting kit.

COMPONENTS
 Rectangular overflow


Flow Pro

FINISHES
 IN Stainless steel

Best

COLLECTION

Best 450



DOUBLE-BOWL SINK

Dimensions	860 x 510 mm
Base unit	900 mm
Cutout	840 x 480 mm
Bowl depth	200 mm and 200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible


GRANITEK

G40	Nero LGB45040
G78	Espresso LGB45078
G48	Cemento LGB45048
G43	Tortora LGB45043
M79	Nuvola LMB45079
G39	Bianco Soft LGB45039
G68	Bianco LGB45068
G59	Antracite LGB45059
G51	Avena LGB45051
G62	Bianco Antico LGB45062

KERATEK

K86	Black LKB45086
K87	Cocoa LKB45087
K99	Concrete LKB45099
K89	Dove LKB45089
K88	Cloud LKB45088
K95	Champagne LKB45095
K96	White LKB45096

Best 450 Undermount



DOUBLE-BOWL SINK

Dimensions	836 x 488 mm
Base unit	900 mm
Cutout	795 x 448 mm R6
Bowl depth	200 mm and 200 mm
Tap ledge	Yes
Installation	Undermount
Orientation	Reversible

GRANITEK

G40	Nero LGB45040BSO
G78	Espresso LGB45078BSO
G48	Cemento LGB45048BSO
G43	Tortora LGB45043BSO
M79	Nuvola LMB45079BSO
G39	Bianco Soft LGB45039BSO
G68	Bianco LGB45068BSO
G59	Antracite LGB45059BSO
G51	Avena LGB45051BSO
G62	Bianco Antico LGB45062BSO

KERATEK

K86	Black LKB45086BSO
K87	Cocoa LKB45087BSO
K99	Concrete LKB45099BSO
K89	Dove LKB45089BSO
K88	Cloud LKB45088BSO
K95	Champagne LKB45095BSO
K96	White LKB45096BSO

Best COLLECTION

STYLE IDEAS

Ventum PURE new



Specifications and other finishes on page 181

ELLECI PURE AFICAMGR



● BK Black
MOKVNTBK

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD BEST LINE



● BK Black
ATH020BK
● QU Quercia
ATH020QU

ALL MODELS

DRAINER FLEX 500



● BK Black
ARS023BK
● GR Grey
ARS023GR

ALL MODELS

ALL MODELS

SOAP DISPENSER ROUND



● BK Black
ADI02304BK
● GM Gun metal
ADI02304GM
● CR Chrome
ADI02304CR

ALL MODELS

SOAP DISPENSER SQUARE



● CR Chrome
ADI02301

POD 250



● BK Black
APS250BK
● GR Grey
APS250GR

DRAIN SYSTEM

KIT FLOW PRO



● BK Black
KITWPT-F-1VSELL-BK
● GM Gun metal
KITWPT-F-1VSELL-GM
● IN Stainless steel
KITWPT-F-1VSELL-IN

ALL MODELS

KIT FLOW PRO OPEN UP



● BK Black
KITASP-F-1VSELL-BK
● GM Gun metal
KITASP-F-1VSELL-GM
● IN Stainless steel
KITASP-F-1VSELL-IN

ALL MODELS

KIT FLOW PRO OPEN TWIST



● BK Black
KITASPT-F-1VSELL-BK
● IN Stainless steel
KITASPT-F-1VSELL-IN

ALL MODELS

ELLECI ZERO




60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS


Unico

COLLECTION


Unico is a sink boasting a generous bowl and a minimal-look drainer and comes in a range of models to fit in with kitchens of all configurations. The new Flow Drain System adds form and function in a single stunning feature.




UNICO
MODELS



Unico 500




Unico 480




new

Unico 475




Unico 410




Unico 310




Unico 305
new



Unico 300



Unico 125



Unico Corner



Unico 410 sink - G40 Nero
Loch tap - GM Gun Metal

GRANITEK



KERATEK



Unico

COLLECTION

The sink becomes the linchpin of a well-organized kitchen: with the tap ledge located on the side, accessories are free to glide the full length of the sink, creating a harmonious workspace of uncompromising efficiency.




NEW
UNICO 305



Unico

COLLECTION

Unico 500



DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1160 x 500 mm
Base unit	800 mm
Cutout	1140 x 480 mm
Bowl depth	200 mm and 200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible


GRANITEK

G40	Nero	LGU50040
G78	Espresso	LGU50078
G48	Cemento	LGU50048
G43	Tortora	LGU50043
M79	Nuvola	LMU50079
G39	Bianco Soft	LGU50039
G68	Bianco	LGU50068
G59	Antracite	LGU50059
G51	Avena	LGU50051
G62	Bianco Antico	LGU50062

KERATEK

K86	Black	LKU50086
K87	Cocoa	LKU50087
K99	Concrete	LKU50099
K89	Dove	LKU50089
K88	Cloud	LKU50088
K95	Champagne	LKU50095
K96	White	LKU50096

Unico 480



SINGLE-BOWL SINK WITH DRAINER

Dimensions	1000 x 500 mm
Base unit	600 mm
Cutout	980 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero	LGU48040
G78	Espresso	LGU48078
G48	Cemento	LGU48048
G43	Tortora	LGU48043
M79	Nuvola	LMU48079
G39	Bianco Soft	LGU48039
G68	Bianco	LGU48068
G59	Antracite	LGU48059
G51	Avena	LGU48051
G62	Bianco Antico	LGU48062


KERATEK

K86	Black	LKU48086
K87	Cocoa	LKU48087
K99	Concrete	LKU48099
K89	Dove	LKU48089
K88	Cloud	LKU48088
K95	Champagne	LKU48095
K96	White	LKU48096

Unico

COLLECTION

Unico 475 new



DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1000 x 500 mm
Base unit	600 mm
Cutout	980 x 480 mm
Bowl depth	200 mm and 128 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible


GRANITEK

G40	Nero LGU47540
G78	Espresso LGU47578
G48	Cemento LGU47548
G43	Tortora LGU47543
M79	Nuvola LMU47579
G39	Bianco Soft LGU47539
G68	Bianco LGU47568
G59	Antracite LGU47559
G51	Avena LGU47551
G62	Bianco Antico LGU47562

KERATEK

K86	Black LKU47586
K87	Cocoa LKU47587
K99	Concrete LKU47599
K89	Dove LKU47589
K88	Cloud LKU47588
K95	Champagne LKU47595
K96	White LKU47596

Unico 410



SINGLE-BOWL SINK WITH DRAINER

Dimensions	860 x 500 mm
Base unit	600 mm
Cutout	840 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGU41040
G78	Espresso LGU41078
G48	Cemento LGU41048
G43	Tortora LGU41043
M79	Nuvola LMU41079
G39	Bianco Soft LGU41039
G68	Bianco LGU41068
G59	Antracite LGU41059
G51	Avena LGU41051
G62	Bianco Antico LGU41062

KERATEK


K86	Black LKU41086
K87	Cocoa LKU41087
K99	Concrete LKU41099
K89	Dove LKU41089
K88	Cloud LKU41088
K95	Champagne LKU41095
K96	White LKU41096

WHAT'S INCLUDED
Space-saving trap, Flow, Round overflow, Mounting kit.

COMPONENTS




FINISHES



Unico

COLLECTION

Unico 310



SINGLE-BOWL SINK WITH DRAINER

Dimensions	780 x 500 mm
Base unit	600 750 mm if at the start of a run of cabinets
Cutout	760 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK


G40	Nero	LGU31040
G78	Espresso	LGU31078
G48	Cemento	LGU31048
G43	Tortora	LGU31043
M79	Nuvola	LMU31079
G39	Bianco Soft	LGU31039
G68	Bianco	LGU31068
G59	Antracite	LGU31059
G51	Avena	LGU31051
G62	Bianco Antico	LGU31062

KERATEK

K86	Black	LKU31086
K87	Cocoa	LKU31087
K99	Concrete	LKU31099
K89	Dove	LKU31089
K88	Cloud	LKU31088
K95	Champagne	LKU31095
K96	White	LKU31096

Unico 305

new



SINGLE-BOWL SINK WITH DRAINER

Dimensions	780 x 500 mm
Base unit	600 mm
Cutout	760 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero	LGU30540
G78	Espresso	LGU30578
G48	Cemento	LGU30548
G43	Tortora	LGU30543
M79	Nuvola	LMU30579
G39	Bianco Soft	LGU30539
G68	Bianco	LGU30568
G59	Antracite	LGU30559
G51	Avena	LGU30551
G62	Bianco Antico	LGU30562


KERATEK

K86	Black	LKU30586
K87	Cocoa	LKU30587
K99	Concrete	LKU30599
K89	Dove	LKU30589
K88	Cloud	LKU30588
K95	Champagne	LKU30595
K96	White	LKU30596

Unico

COLLECTION

Unico 300



SINGLE-BOWL SINK WITH DRAINER

Dimensions	790 x 500 mm
Base unit	500 mm
Cutout	770 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible


GRANITEK

G40	Nero	LGU30040
G78	Espresso	LGU30078
G48	Cemento	LGU30048
G43	Tortora	LGU30043
M79	Nuvola	LMU30079
G39	Bianco Soft	LGU30039
G68	Bianco	LGU30068
G59	Antracite	LGU30059
G51	Avena	LGU30051
G62	Bianco Antico	LGU30062

KERATEK

K86	Black	LKU30086
K87	Cocoa	LKU30087
K99	Concrete	LKU30099
K89	Dove	LKU30089
K88	Cloud	LKU30088
K95	Champagne	LKU30095
K96	White	LKU30096

Unico 125



SINGLE-BOWL SINK WITH DRAINER

Dimensions	650 x 500 mm
Base unit	500 mm
Cutout	630 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero	LGU12540
G78	Espresso	LGU12578
G48	Cemento	LGU12548
G43	Tortora	LGU12543
M79	Nuvola	LMU12579
G39	Bianco Soft	LGU12539
G68	Bianco	LGU12568
G59	Antracite	LGU12559
G51	Avena	LGU12551
G62	Bianco Antico	LGU12562

KERATEK


K86	Black	LKU12586
K87	Cocoa	LKU12587
K99	Concrete	LKU12599
K89	Dove	LKU12589
K88	Cloud	LKU12588
K95	Champagne	LKU12595
K96	White	LKU12596

WHAT'S INCLUDED
Space-saving trap, Flow, Round overflow, Mounting kit.

COMPONENTS




FINISHES



Unico

COLLECTION

Unico Corner



DOUBLE-BOWL SINK WITH DRAINER

Dimensions	830 x 830 mm
Base unit	Corner
Cutout	Per template*
Bowl depth	190 mm and 190 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGUCOR40
G78	Espresso LGUCOR78
G48	Cemento LGUCOR48
G43	Tortora LGUCOR43
M79	Nuvola LMUCOR79
G39	Bianco Soft LGUCOR39
G68	Bianco LGUCOR68
G59	Antracite LGUCOR59
G51	Avena LGUCOR51
G62	Bianco Antico LGUCOR62



Unico Corner sink - G40 Nero
Trail tap - G40 Nero

WHAT'S INCLUDED
Space-saving trap, Flow, Round overflow, Mounting kit.

COMPONENTS

Round overflow


Flow

FINISHES

IN Stainless steel

Unico

COLLECTION


Unico 410 **new****SINGLE-BOWL SINK WITH DRAINER**

Dimensions	860 x 500 mm
Base unit	600 mm
Cutout	840 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK**KERATEK**

G40 Nero
LGU41040BKM

K86 Black
LKU41086BKM

Unico 305 **new****SINGLE-BOWL SINK WITH DRAINER**

Dimensions	780 x 500 mm
Base unit	600 mm
Cutout	760 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible


GRANITEK**KERATEK**

G40 Nero
LGU30540BKM

K86 Black
LKU30586BKM

WHAT'S INCLUDED

Space-saving trap, Flow, Round overflow, Mounting kit.

COMPONENTS**FINISHES**

Unico

COLLECTION

STYLE IDEAS

Loch new



Specifications and other finishes on page 187

● BK Black
MOKLOCBK

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD SLIDING 50



● BK Black
ATH010BK
● QU Quercia
ATH010QU

ALL MODELS

DRAINER FLEX 500



● BK Black
ARS023BK
● GR Grey
ARS023GR

ALL MODELS

ALL MODELS

SOAP DISPENSER ROUND



● BK Black
ADI02304BK
● GM Gun metal
ADI02304GM
● CR Chrome
ADI02304CR

ALL MODELS

SOAP DISPENSER SQUARE



● CR Chrome
ADI02301

POD 250



● BK Black
APS250BK
● GR Grey
APS250GR

DRAIN SYSTEM

FLOW SYSTEM



● BK Black
KITWPT-FB-1VTELL-BK
● IN Stainless steel
KITWPT-FB-1VTELL-IN

ALL MODELS

FLOW OPEN UP



● BK Black
KITASP-FB-1VTELL-BK
● IN Stainless steel
KITASP-FB-1VTELL-IN

ALL MODELS

FLOW OPEN TWIST



● BK Black
KITASPT-FB-1VTELL-BK
● IN Stainless steel
KITASPT-FB-1VTELL-IN

ALL MODELS

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS

Unico COLLECTION

Unico 305 sink - G43 Tortora
Loch tap - BK Black
Urban 80 Induction hob - CD City Dune
Urban Plus oven - BK Black




AVAILABLE IN ALL KERATEK AND GRANITEK COLOURS, THE UNICO COLLECTION
DEFINES DISTINCTIVE SPACES TAILORED TO YOUR NEEDS.


Ego

COLLECTION


The Ego collection stands out for the natural, enveloping look of its design, which brings a touch of lightness to the interior. Its sinuous lines embrace the space, echoing an authentic, sophisticated personality.




**EGO
MODELS**




Ego 500



Ego 480



Ego 400



Ego 450



Ego Round



Ego 480 sink - G68 Bianco
Athena tap - G68 Bianco

GRANITEK

G40
NERO

G78
ESPRESSO

G48
CEMENTO

G43
TORTORA

M79
NUVOLA

G39
BIANCO
SOFT

G68
BIANCO

G59
ANTRACITE


G51
AVENA

G62
BIANCO
ANTICO

Ego

COLLECTION

Ego 500





DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1160 x 500 mm
Base unit	800 mm
Cutout	1140 x 485 mm
Bowl depth	210 mm and 210 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGE50040
G78	Espresso LGE50078
G48	Cemento LGE50048
G43	Tortora LGE50043
M79	Nuvola LME50079
G39	Bianco Soft LGE50039
G68	Bianco LGE50068
G59	Antracite LGE50059
G51	Avena LGE50051
G62	Bianco Antico LGE50062

Ego 480



SINGLE-BOWL SINK WITH DRAINER


Dimensions	1000 x 500 mm
Base unit	600 mm
Cutout	980 x 485 mm
Bowl depth	210 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGE48040
G78	Espresso LGE48078
G48	Cemento LGE48048
G43	Tortora LGE48043
M79	Nuvola LME48079
G39	Bianco Soft LGE48039
G68	Bianco LGE48068
G59	Antracite LGE48059
G51	Avena LGE48051
G62	Bianco Antico LGE48062

Ego COLLECTION

Ego 400



SINGLE-BOWL SINK WITH DRAINER

Dimensions	860 x 500 mm
Base unit	450 mm
Cutout	840 x 490 mm
Bowl depth	210 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK


- G40** Nero LGE40040
- G78** Espresso LGE40078
- G48** Cemento LGE40048
- G43** Tortora LGE40043
- M79** Nuvola LME40079
- G39** Bianco Soft LGE40039
- G68** Bianco LGE40068
- G59** Antracite LGE40059
- G51** Avena LGE40051
- G62** Bianco Antico LGE40062

WHAT'S INCLUDED
Space-saving trap, Flow, Round overflow, Mounting kit.

Ego

COLLECTION

Ego 450




DOUBLE-BOWL SINK

Dimensions	860 x 500 mm
Base unit	900 mm
Cutout	840 x 485 mm
Bowl depth	210 mm and 210 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

- G40 Nero LGE45040
- G78 Espresso LGE45078
- G48 Cemento LGE45048
- G43 Tortora LGE45043
- M79 Nuvola LME45079
- G39 Bianco Soft LGE45039
- G68 Bianco LGE45068
- G59 Antracite LGE45059
- G51 Avena LGE45051
- G62 Bianco Antico LGE45062

Ego Round



SINGLE-BOWL SINK

Dimensions	Ø 485 mm
Base unit	500 mm
Cutout	Ø 465 mm
Bowl depth	210 mm
Tap ledge	Yes
Installation	Top mount

GRANITEK

- G40 Nero LGEROU40
- G78 Espresso LGEROU78
- G48 Cemento LGEROU48
- G43 Tortora LGEROU43
- M79 Nuvola LMEROU79
- G39 Bianco Soft LGEROU39
- G68 Bianco LGEROU68
- G59 Antracite LGEROU59
- G51 Avena LGEROU51
- G62 Bianco Antico LGEROU62

Ego COLLECTION

STYLE IDEAS

Athena



Specifications and other finishes on page 192

G68 Bianco
MGKATH68

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD
SLIDING 50



- BK Black
ATH010BK
- QU Quercia
ATH010QU

EXCEPT EGO ROUND

DRAINER FLEX
500



- BK Black
ARS023BK
- GR Grey
ARS023GR

EXCEPT EGO ROUND

POD 250



- BK Black
APS250BK
- GR Grey
APS250GR

DRAIN SYSTEM

FLOW SYSTEM



- BK Black
KITWPT-FB-1VTELL-BK
- IN Stainless steel
KITWPT-FB-1VTELL-IN

ALL MODELS

FLOW OPEN UP



- BK Black
KITASP-FB-1VTELL-BK
- IN Stainless steel
KITASP-FB-1VTELL-IN

EXCEPT EGO ROUND

FLOW OPEN TWIST



- BK Black
KITASPT-FB-1VTELL-BK
- IN Stainless steel
KITASPT-FB-1VTELL-IN

EXCEPT EGO ROUND

ELLECI ZERO




- 60 Series
TDZ060GR
- 100 Series
TDZ100GR

ALL MODELS


Easy

COLLECTION


Easy is the sink that takes the chore out of every daily task. Versatile, practical to use and easy to clean: with its capacious bowl and handy drainer, it's the perfect choice for anyone seeking effortless good looks.




EASY MODELS




Easy 500




Easy 480




Easy 475




Easy 310




Easy 300



Easy 290



Easy 135



Easy Round 600



Easy 480 sink - M79 Nuvola
Tourmaline Pure tap - IN Stainless Steel



GRANITEK

- | | | | | | | | | | |
|-------------|-----------------|----------------|----------------|---------------|-----------------------|---------------|------------------|--------------|-------------------------|
| G40
NERO | G78
ESPRESSO | G48
CEMENTO | G43
TORTORA | M79
NUVOLA | G39
BIANCO
SOFT | G68
BIANCO | G59
ANTRACITE | G51
AVENA | G62
BIANCO
ANTICO |
|-------------|-----------------|----------------|----------------|---------------|-----------------------|---------------|------------------|--------------|-------------------------|

Easy

COLLECTION

Easy 500




DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1160 x 500 mm
Base unit	800 mm
Cutout	1140 x 480 mm
Bowl depth	200 mm and 200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGY50040
G78	Espresso LGY50078
G48	Cemento LGY50048
G43	Tortora LGY50043
M79	Nuvola LMY50079
G39	Bianco Soft LGY50039
G68	Bianco LGY50068
G59	Antracite LGY50059
G51	Avena LGY50051
G62	Bianco Antico LGY50062

Easy 480



SINGLE-BOWL SINK WITH DRAINER


Dimensions	1000 x 500 mm
Base unit	600 mm
Cutout	980 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGY48040
G78	Espresso LGY48078
G48	Cemento LGY48048
G43	Tortora LGY48043
M79	Nuvola LMY48079
G39	Bianco Soft LGY48039
G68	Bianco LGY48068
G59	Antracite LGY48059
G51	Avena LGY48051
G62	Bianco Antico LGY48062

Easy COLLECTION

Easy 475 new




DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1000 x 500 mm
Base unit	600 750 mm if at the start of a run of cabinets
Cutout	980 x 480 mm
Bowl depth	200 mm and 140 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGY47540
G78	Espresso LGY47578
G48	Cemento LGY47548
G43	Tortora LGY47543
M79	Nuvola LMY47579
G39	Bianco Soft LGY47539
G68	Bianco LGY47568
G59	Antracite LGY47559
G51	Avena LGY47551
G62	Bianco Antico LGY47562

Easy 310



SINGLE-BOWL SINK WITH DRAINER

Dimensions	780 x 500 mm
Base unit	600 750 mm if at the start of a run of cabinets
Cutout	760 x 480 mm
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGY31040
G78	Espresso LGY31078
G48	Cemento LGY31048
G43	Tortora LGY31043
M79	Nuvola LMY31079
G39	Bianco Soft LGY31039
G68	Bianco LGY31068
G59	Antracite LGY31059
G51	Avena LGY31051
G62	Bianco Antico LGY31062



WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS
Round overflow
Standard
FINISHES
IN Stainless steel

Easy

COLLECTION

Easy 300




SINGLE-BOWL SINK WITH DRAINER

Dimensions	790 x 500 mm
Base unit	500 600 mm if at the start of a run of cabinets
Cutout	770 x 480 mm
Bowl depth	220 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGY30040
G78	Espresso LGY30078
G48	Cemento LGY30048
G43	Tortora LGY30043
M79	Nuvola LMY30079
G39	Bianco Soft LGY30039
G68	Bianco LGY30068
G59	Antracite LGY30059
G51	Avena LGY30051
G62	Bianco Antico LGY30062

Easy 290



SINGLE-BOWL SINK WITH DRAINER

Dimensions	780 x 435 mm
Base unit	500 600 mm if at the start of a run of cabinets
Cutout	760 x 415 mm
Bowl depth	210 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGY29040
G78	Espresso LGY29078
G48	Cemento LGY29048
G43	Tortora LGY29043
M79	Nuvola LMY29079
G39	Bianco Soft LGY29039
G68	Bianco LGY29068
G59	Antracite LGY29059
G51	Avena LGY29051
G62	Bianco Antico LGY29062

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS



Round
overflow

FINISHES





Standard



IN Stainless steel

Easy COLLECTION

Easy 135





SINGLE-BOWL SINK WITH DRAINER

Dimensions	680 x 500 mm
Base unit	450 600 mm if at the start of a run of cabinets
Cutout	660 x 480 mm
Bowl depth	210 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGY13540
G78	Espresso LGY13578
G48	Cemento LGY13548
G43	Tortora LGY13543
M79	Nuvola LMY13579
G39	Bianco Soft LGY13539
G68	Bianco LGY13568
G59	Antracite LGY13559
G51	Avena LGY13551
G62	Bianco Antico LGY13562

Easy Round 600



SINGLE-BOWL SINK WITH DRAINER

Dimensions	600 x 470 mm
Base unit	450 mm
Cutout	Per template*
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGYR6040
G78	Espresso LGYR6078
G48	Cemento LGYR6048
G43	Tortora LGYR6043
M79	Nuvola LMYR6079
G39	Bianco Soft LGYR6039
G68	Bianco LGYR6068
G59	Antracite LGYR6059
G51	Avena LGYR6051
G62	Bianco Antico LGYR6062

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS
Round overflow
Standard
FINISHES
IN Stainless steel

Easy COLLECTION

STYLE IDEAS

Tourmaline PURE



Specifications and other finishes on page 180

ELLECI PURE
AFICAMGR



IN Stainless steel
MIKTOUIN


SINK ACCESSORY COMPATIBILITY

CHOPPING BOARD
SLIDING 50



BK Black
ATH010BK
QU Quercia
ATH010QU

DRAINER FLEX
500



BK Black
ARS023BK
GR Grey
ARS023GR

MODELS 500,480,310,300,135 MODELS 500,480,310,300

SOAP DISPENSER
ROUND



BK Black
ADI02304BK
GM Gun metal
ADI02304GM
CR Chrome
ADI02304CR

SOAP DISPENSER
SQUARE



CR Chrome
ADI02301

MODELS 480,310,300,290,135

POD 250



BK Black
APS250BK
GR Grey
APS250GR

DRAIN SYSTEM

STANDARD OPEN UP



IN Stainless steel
KITASP-A-1VTELL-IN
BK Black
KITASP-A-1VTELL-BK

ALL MODELS

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS

Easy COLLECTION


Easy 480 sink - M79 Nuvola
Tourmaline Pure tap - IN Stainless Steel
Plano 90 hob - G40 Nero
Plano oven - G40 Nero




Life

COLLECTION

Life: where classic meets modern. With its rounded corners and generous drainer, this sink creates an ergonomic workstation that's supremely user friendly, offering all the space you need to work comfortably.



LIFE MODELS





Life 410 sink - G39 Bianco Soft
Cloud tap - G39 Bianco Soft

GRANITEK

- | | | | | | | | | | |
|-------------|-----------------|----------------|----------------|---------------|-----------------------|---------------|------------------|--------------|-------------------------|
| G40
NERO | G78
ESPRESSO | G48
CEMENTO | G43
TORTORA | M79
NUVOLA | G39
BIANCO
SOFT | G68
BIANCO | G59
ANTRACITE | G51
AVENA | G62
BIANCO
ANTICO |
|-------------|-----------------|----------------|----------------|---------------|-----------------------|---------------|------------------|--------------|-------------------------|

Life

COLLECTION

Life is a sink collection designed to be your helping hand throughout the day. From the moment you wake up until it's time for bed, the kitchen is an intimate, welcoming space where we gather to chat, share a laugh and enjoy each other's company.






COMPATIBILITY WITH ACCESSORIES — LIKE THE CHOPPING BOARD AND FLEX DRAINER —
ENHANCES THE USER EXPERIENCE WITH NEW FEATURES

Life

COLLECTION

Life 500





DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1160 x 500 mm
Base unit	800 900 mm if at the start of a run of cabinets
Cutout	1140 x 480 mm
Bowl depth	180 mm and 180mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LG250040
G78	Espresso LG250078
G48	Cemento LG250048
G43	Tortora LG250043
M79	Nuvola LM250079
G39	Bianco Soft LG250039
G68	Bianco LG250068
G59	Antracite LG250059
G51	Avena LG250051
G62	Bianco Antico LG250062

Life 480



SINGLE-BOWL SINK WITH DRAINER

Dimensions	1000 x 500 mm
Base unit	600 mm
Cutout	980 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LG248040
G78	Espresso LG248078
G48	Cemento LG248048
G43	Tortora LG248043
M79	Nuvola LM248079
G39	Bianco Soft LG248039
G68	Bianco LG248068
G59	Antracite LG248059
G51	Avena LG248051
G62	Bianco Antico LG248062

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS



Round overflow

FINISHES




Standard



IN Stainless steel

Life COLLECTION

Life 475 new




DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1000 x 500 mm
Base unit	600 mm
Cutout	980 x 480 mm
Bowl depth	180 mm and 128 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LG247540
G78	Espresso LG247578
G48	Cemento LG247548
G43	Tortora LG247543
M79	Nuvola LM247579
G39	Bianco Soft LG247539
G68	Bianco LG247568
G59	Antracite LG247559
G51	Avena LG247551
G62	Bianco Antico LG247562

Life 410



SINGLE-BOWL SINK WITH DRAINER

Dimensions	860 x 500 mm
Base unit	600 mm
Cutout	840 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK



G40	Nero LG241040
G78	Espresso LG241078
G48	Cemento LG241048
G43	Tortora LG241043
M79	Nuvola LM241079
G39	Bianco Soft LG241039
G68	Bianco LG241068
G59	Antracite LG241059
G51	Avena LG241051
G62	Bianco Antico LG241062

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS
Round overflow
Standard
FINISHES
IN Stainless steel

Life COLLECTION

Life 450




DOUBLE-BOWL SINK

Dimensions	860 x 500 mm
Base unit	900 mm
Cutout	840 x 480 mm
Bowl depth	180 mm and 180 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LG245040
G78	Espresso LG245078
G48	Cemento LG245048
G43	Tortora LG245043
M79	Nuvola LM245079
G39	Bianco Soft LG245039
G68	Bianco LG245068
G59	Antracite LG245059
G51	Avena LG245051
G62	Bianco Antico LG245062

Life 400



SINGLE-BOWL SINK WITH DRAINER

Dimensions	860 x 500 mm
Base unit	450 mm
Cutout	840 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK



G40	Nero LG240040
G78	Espresso LG240078
G48	Cemento LG240048
G43	Tortora LG240043
M79	Nuvola LM240079
G39	Bianco Soft LG240039
G68	Bianco LG240068
G59	Antracite LG240059
G51	Avena LG240051
G62	Bianco Antico LG240062

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS
Round overflow
Standard
FINISHES
IN Stainless steel

Life COLLECTION

Life 310 new




SINGLE-BOWL SINK WITH DRAINER

Dimensions	780 x 500 mm
Base unit	600 mm
Cutout	760 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LG231040
G78	Espresso LG231078
G48	Cemento LG231048
G43	Tortora LG231043
M79	Nuvola LM231079
G39	Bianco Soft LG231039
G68	Bianco LG231068
G59	Antracite LG231059
G51	Avena LG231051
G62	Bianco Antico LG231062

Life 300



SINGLE-BOWL SINK WITH DRAINER

Dimensions	790 x 500 mm
Base unit	450 mm
Cutout	770 x 480 mm
Bowl depth	180mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LG230040
G78	Espresso LG230078
G48	Cemento LG230048
G43	Tortora LG230043
M79	Nuvola LM230079
G39	Bianco Soft LG230039
G68	Bianco LG230068
G59	Antracite LG230059
G51	Avena LG230051
G62	Bianco Antico LG230062

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

Life COLLECTION

STYLE IDEAS

Cloud



Specifications and other finishes on page 193

G43 Tortora
MGKCLO43

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD
SLIDING 50



BK Black
ATH010BK
QU Quercia
ATH010QU

ALL MODELS

DRAINER FLEX
500



BK Black
ARS023BK
GR Grey
ARS023GR

MODELS 500, 480, 410, 450, 475, 310

POD 250



BK Black
APS250BK
GR Grey
APS250GR

DRAIN SYSTEM

STANDARD OPEN UP



IN Stainless steel
KITASP-A-1VTELL-IN
BK Black
KITASP-A-1VTELL-BK

ALL MODELS

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR

ALL MODELS

Life

COLLECTION


Life 410 sink - G48 Cemento
Cloud tap - G48 Cemento
Plano oven - G48 Cemento
Style 60 hob - G48 Cemento




Master

COLLECTION


Master is a sink exuding the allure of good old-fashioned, timeless country style. Its design, featuring a generous bowl and soft lines, conjures up the beauty of traditions. A collection catering to anyone who wants their kitchen to have a warm, familiar feel.




MASTER MODELS



Master 500



Master 400



Master 300



Master 450



Master 350



Master 500 sink - G51 Avena
Neva tap - G51 Avena

GRANITEK

G40
NERO

G68
BIANCO

G59
ANTRACITE


G51
AVENA

G62
BIANCO
ANTICO

Master

COLLECTION

Master 500




DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1160 x 500 mm
Base unit	800 mm
Cutout	1140 x 480 mm
Bowl depth	220 mm and 220mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGM50040
G68	Bianco LGM50068
G59	Antracite LGM50059
G51	Avena LGM50051
G62	Bianco Antico LGM50062

Master 400



SINGLE-BOWL SINK WITH DRAINER

Dimensions	860 x 500 mm
Base unit	450 mm
Cutout	840 x 480 mm
Bowl depth	220 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible


GRANITEK

G40	Nero LGM40040
G68	Bianco LGM40068
G59	Antracite LGM40059
G51	Avena LGM40051
G62	Bianco Antico LGM40062

Master

COLLECTION

Master 300





SINGLE-BOWL SINK WITH DRAINER

Dimensions	790 x 500 mm
Base unit	450
Cutout	770 x 480 mm
Bowl depth	220 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGM30040
G68	Bianco LGM30068
G59	Antracite LGM30059
G51	Avena LGM30051
G62	Bianco Antico LGM30062

Master 450



DOUBLE-BOWL SINK

Dimensions	860 x 500 mm
Base unit	900 mm
Cutout	840 x 480 mm
Bowl depth	220 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40	Nero LGM45040
G68	Bianco LGM45068
G59	Antracite LGM45059
G51	Avena LGM45051
G62	Bianco Antico LGM45062

WHAT'S INCLUDED

Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS




Round
overflow



Standard

FINISHES





CR Chrome

Master

COLLECTION

Master 350



DOUBLE-BOWL SINK

Dimensions	790 x 500 mm
Base unit	800 900 mm if at the start of a run of cabinets
Cutout	770 x 480 mm
Bowl depth	220 mm and 220mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible

GRANITEK

G40 Nero
LGM35040

G68 Bianco
LGM35068

G59 Antracite
LGM35059

G51 Avena
LGM35051

G62 Bianco Antico
LGM35062

WHAT'S INCLUDED
Space-saving trap, Standard waste, Round overflow, Mounting kit.

COMPONENTS



Round overflow

FINISHES



Standard



IN Stainless steel

Master

COLLECTION

STYLE IDEAS

Neva



Specifications and other finishes on page 190

G68 Bianco
MGKNEV68

SINK ACCESSORY COMPATIBILITY


CHOPPING BOARD SLIDING 50



BK Black
ATH010BK
QU Quercia
ATH010QU

ALL MODELS

DRAINER FLEX 500



BK Black
ARS023BK
GR Grey
ARS023GR

ALL MODELS

ALL MODELS

POD 250



BK Black
APS250BK
GR Grey
APS250GR

DRAIN SYSTEM

STANDARD OPEN UP



IN Stainless steel
KITASP-A-1VTELL-IN
BK Black
KITASP-A-1VTELL-BK

ALL MODELS

ELLECI ZERO



60 Series
TDZ060GR
100 Series
TDZ100GR


ALL MODELS

Stainless steel


COLLECTION



COMPASS



Compass 700



Compass 650
new



Compass 500



Compass 400



ESPRIT



Esprit 700



Esprit 650
new



Esprit 500



Esprit 400



W-SQUARE



W-Square 700




W-Square 500




W-Square 400




SKY




Sky 500




Sky 480




Sky 400



Sky 125




Sky 360



Sky 450



SkyRound



Sky Corner



Compass 700 sink - IN Stainless Steel
Stream Plus tap - CR Chrome

STAINLESS STEEL



Stainless steel sinks express a timeless aesthetic sensibility. Each collection has its own distinctive trait: Compass with its integrated tap ledge; Esprit with its pared-back lines; W-Square with its Square Drain System; and Sky with its impressive versatility.

Stainless steel COLLECTION

Light bounces off the satin-finish steel to produce a soft, uniform glow, while the matte finish enhances its modern character. Resistant to scratches, staining and wear, it offers the ultimate in hygiene and will keep looking beautiful.




Sinlus x Stainless steel



ALL COLLECTIONS HAVE A FULL COMPLEMENT OF MATCHING ACCESSORIES IN THEIR ARSENAL

Compass COLLECTION

Compass 700




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK

Dimensions	740 x 510 mm
Base unit	800 mm
Cutout	730 x 495 mm R10 (Top mount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount Flush mount

STAINLESS STEEL


IN AISI 304 SATIN-FINISH STAINLESS STEEL
LIM700SAC



Compass 650 **new**



base
75




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK

Dimensions	690 x 510 mm
Base unit	750 mm
Cutout	680 x 495 mm R10 (Top mount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount Flush mount

STAINLESS STEEL

IN AISI 304 SATIN-FINISH STAINLESS STEEL
LIM650SAC



WHAT'S INCLUDED
Space-saving trap, Flow, Overflow, Mounting kit.



COMPONENTS
 Overflow

Flow

FINISHES
 IN Stainless steel

Compass COLLECTION

Compass 500




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK



Dimensions	540 x 510 mm
Base unit	600 mm
Cutout	530 x 495 mm R10 (Top mount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount Flush mount

STAINLESS STEEL

IN AISI 304 SATIN-FINISH STAINLESS STEEL
LIM500SAC



Compass 400




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK

Dimensions	440 x 510 mm
Base unit	500 mm
Cutout	430 x 495 mm R10 (Top mount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	Yes
Installation	Top mount Flush mount

STAINLESS STEEL

IN AISI 304 SATIN-FINISH STAINLESS STEEL
LIM400SAC



WHAT'S INCLUDED
Space-saving trap, Flow, Overflow, Mounting kit.


COMPONENTS
 Overflow

Flow

FINISHES
 IN Stainless steel

Esprit COLLECTION

Esprit 700




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK

Dimensions	740 x 440 mm
Base unit	800 mm
Cutout	730 x 430 mm R10 (Top mount)
Cutout	701 x 401 mm R13 (Undermount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount Undermount Flush mount

STAINLESS STEEL

IN AISI 304 SATIN-FINISH STAINLESS STEEL
LIE700SAC




Esprit 650

new



base
75




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK

Dimensions	690 x 440 mm
Base unit	750 mm
Cutout	680 x 430 mm R10 (Top mount)
Cutout	651 x 401 mm R13 (Undermount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount Undermount Flush mount

STAINLESS STEEL

IN AISI 304 SATIN-FINISH STAINLESS STEEL
LIE650SAC



WHAT'S INCLUDED
Space-saving trap, Flow, Overflow, Mounting kit.

COMPONENTS
Overflow



Flow

FINISHES
IN Stainless steel

Esprit

COLLECTION

Esprit 500




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK

Dimensions	540 x 440 mm
Base unit	600 mm
Cutout	530 x 430 mm R10 (Top mount)
Cutout	501 x 401 mm R13 (Undermount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount Undermount Flush mount



STAINLESS STEEL

IN

AISI 304 SATIN-FINISH STAINLESS STEEL
LIE500SAC



Esprit 400




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK

Dimensions	440 x 440 mm
Base unit	500 mm (Top mount Undermount Flush mount)
Cutout	430 x 430 mm R10 (Top mount)
Cutout	401 x 401 mm R13 (Undermount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount Undermount Flush mount

STAINLESS STEEL

IN

AISI 304 SATIN-FINISH STAINLESS STEEL
LIE400SAC



WHAT'S INCLUDED
Space-saving trap, Flow, Overflow, Mounting kit.

COMPONENTS



Overflow



Flow


FINISHES



IN Stainless steel

W-Square COLLECTION

W-Square 700




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK


Dimensions	740 x 440 mm R12
Base unit	800 mm
Cutout	730 x 430 mm R10 (Top mount)
Cutout	701 x 401 mm R13 (Undermount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount Undermount Flush mount

STAINLESS STEEL

IN AISI 304 SATIN-FINISH STAINLESS STEEL
LIW700SACMU



W-Square 500




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK

Dimensions	540 x 440 mm R12
Base unit	600 mm
Cutout	530 x 430 mm R10 (Top mount)
Cutout	501 x 401 mm R13 (Undermount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount Undermount Flush mount

STAINLESS STEEL

IN AISI 304 SATIN-FINISH STAINLESS STEEL
LIW500SACMU





WHAT'S INCLUDED
Space-saving trap, Square, Overflow, Mounting kit.

COMPONENTS
Overflow Square IN Stainless steel

W-Square COLLECTION

W-Square 400




1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK

Dimensions	440 x 440 mm R12
Base unit	450 mm (Top mount) Undermount) 600 mm (Filotop)
Cutout	430 x 430 mm R10 (Top mount)
Cutout	401 x 401 mm R13 (Undermount)
Cutout	See drawing below (Flush mount)
Bowl depth	200 mm
Tap ledge	No
Installation	Top mount Undermount Flush mount

STAINLESS STEEL

IN

AISI 304 SATIN-FINISH STAINLESS STEEL
LIW400SACMU



WHAT'S INCLUDED
Space-saving trap, Square, Overflow, Mounting kit.

COMPONENTS



Overflow



Square

FINISHES





IN Stainless steel

Sky

COLLECTION

Sky 500




0.6MM-THICK STAINLESS STEEL DOUBLE-BOWL SINK WITH DRAINER

Dimensions	1160 x 500 mm
Base unit	800 mm
Cutout	1140 x 480 mm
Bowl depth	180 mm and 180 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Non-reversible

STAINLESS STEEL

IN	AISI 304 SATIN-FINISH STAINLESS STEEL LIK500SACDX LIK500SACSX
----	---

Sky 480



0.6MM-THICK STAINLESS STEEL SINGLE-BOWL SINK WITH DRAINER



Dimensions	1000 x 500 mm
Base unit	600 mm
Cutout	980 x 480 mm
Bowl depth	205 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Non-reversible

STAINLESS STEEL

IN	AISI 304 SATIN-FINISH STAINLESS STEEL LIK480SACDX LIK480SACSX
----	---

Sky COLLECTION

Sky 400





0.6MM-THICK STAINLESS STEEL SINGLE-BOWL SINK WITH DRAINER

Dimensions	860 x 500 mm
Base unit	450 mm
Cutout	840 x 480 mm
Bowl depth	180 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Non-reversible

STAINLESS STEEL

IN	AISI 304 SATIN-FINISH STAINLESS STEEL LIK400SACDX LIK400SACSX
----	---

Sky 125



0.6MM-THICK STAINLESS STEEL SINGLE-BOWL SINK WITH DRAINER

Dimensions	580 x 500 mm
Base unit	450 mm
Cutout	560 x 480 mm
Bowl depth	170 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Non-reversible


STAINLESS STEEL

IN	AISI 304 SATIN-FINISH STAINLESS STEEL LIK125SACDX LIK125SACSX
----	---

Sky

COLLECTION

Sky 360



1MM-THICK STAINLESS STEEL SINGLE-BOWL SINK


Dimensions	860 x 500 mm
Base unit	900 mm
Cutout	840 x 480 mm
Bowl depth	190 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Non-reversible

STAINLESS STEEL

IN

AISI 304 SATIN-FINISH STAINLESS STEEL
LIK360SAC

Sky 450



0.6MM-THICK STAINLESS STEEL DOUBLE-BOWL SINK

Dimensions	860 x 500 mm
Base unit	800 900 mm if at the start of a run of cabinets
Cutout	840 x 480 mm
Bowl depth	180 mm and 180 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Reversible



STAINLESS STEEL

IN

AISI 304 SATIN-FINISH STAINLESS STEEL
LIK450SAC

Sky COLLECTION

Sky Round



0.6MM-THICK STAINLESS STEEL SINGLE-BOWL SINK



Dimensions	Ø 435 mm
Base unit	450 mm
Cutout	Ø 415 mm
Bowl depth	160 mm
Tap ledge	No
Installation	Top mount
Orientation	Non-reversible

STAINLESS STEEL

IN

AISI 304 SATIN-FINISH STAINLESS STEEL
LIKROUSAC

Sky Corner



0.6MM-THICK STAINLESS STEEL DOUBLE-BOWL SINK WITH DRAINER

Dimensions	830 x 830 mm
Base unit	Corner
Cutout	Per template*
Bowl depth	210 mm and 200 mm
Tap ledge	Yes
Installation	Top mount
Orientation	Non-reversible

STAINLESS STEEL

IN

AISI 304 SATIN-FINISH STAINLESS STEEL
LIKORSACDX
LIKORSACSX

Accessories

STAINLESS STEEL SINKS


COMPASS SINK ACCESSORIES

CHOPPING BOARD
418



- BK Black
ATH043BK
- WD Wood
ATH043WD

DRAINER FLEX
440



- BK Black
ARS013BK
- GR Grey
ARS013GR

COLANDER
418



- BK Black
AVP035BK


ESPRIT SINK ACCESSORIES

CHOPPING BOARD
418



- BK Black
ATH043BK
- WD Wood
ATH043WD

DRAINER FLEX
440



- BK Black
ARS013BK
- GR Grey
ARS013GR

COLANDER
418



- BK Black
AVP035BK


W-SQUARE SINK ACCESSORIES

CHOPPING BOARD
418



- BK Black
ATH043BK
- WD Wood
ATH043WD

DRAINER FLEX
440



- BK Black
ARS013BK
- GR Grey
ARS013GR

COLANDER
418



- BK Black
AVP035BK


SKY SINK ACCESSORIES

CHOPPING BOARD
SLIDING 50



- BK Black
ATH010BK
- QU Quercia
ATH010QU

DRAINER FLEX
500



- BK Black
ARS023BK
- GR Grey
ARS023GR

SMART AREA

ELLECI ZERO



- 60 Series
TDZ060GR
- 100 Series
TDZ100GR

ALL MODELS

SQUARE WASTE
DISPOSAL UNIT FLANGE



ATQ01300

Note:
Accessory required to install the waste disposal unit with all
W-Square sinks

W-SQUARE MODELS

Accessories

STAINLESS STEEL SINKS



Accessories

Create your workstation

Bring your idea of the ideal prep area to life with accessories purpose-made for every task: accurate cutting, a safe set-down space, practical draining, easy cleaning and stylish organizing. Maximum functionality, zero wasted space.






Accessories

CHOPPING BOARD SPAZIO

Woodtech/HPL chopping board
Dimensions: 455 x 253 x 9 mm




- BK Black
ATH123BK
- WD Wood
ATH123WD

SPAZIO

CHOPPING BOARD SLIDING 50

Woodtech/HPL chopping board
Dimensions: 540 x 280 x 8 mm




- BK Black
ATH010BK
- QU Quercia
ATH010QU

KARISMA, LIFE, UNICO, EASY, EGO, MASTER

CHOPPING BOARD BEST LINE

Woodtech/HPL chopping board
Dimensions: 445 x 280 x 8 mm




- BK Black
ATH020BK
- QU Quercia
ATH020QU

BEST

CHOPPING BOARD BEST WORKSTATION

Woodtech/HPL chopping board
Dimensions: 383 x 339 x 8 mm




- BK Black
ATH073BK
- QU Quercia
ATH073QU
- WD Wood
ATH073WD

BEST WORKSTATION

Accessories

CHOPPING BOARD 380

Woodtech/HPL chopping board
Dimensions: 380 x 220 x 8 mm




- BK Black
ATH143BK
- WD Wood
ATH143WD

TIME AND TIME UNDERMOUNT

CHOPPING BOARD 418

Woodtech/HPL chopping board
Dimensions: 418 x 280 x 8 mm




- BK Black
ATH043BK
- WD Wood
ATH043WD

ZEN, QUADRA, W-SQUARE, COMPASS, ESPRIT, ZEN-F

CHOPPING BOARD FOX 360

Woodtech chopping board
Dimensions: 435 x 285 x 6.4 mm




- BK Black
ATH153BK

FOX

CHOPPING BOARD FOX 360

HPL chopping board with bowl
Dimensions: 435 x 285 x 8 mm




- WD Wood
ATH153WD

FOX

Accessories

DRAINER FLEX 500

Flexible drainer with silicone-coated steel bars
Dimensions: 500 x 334 x 10 mm




- BK Black
ARS023BK
- GR Grey
ARS023GR

BEST, BEST WORKSTATION, LIFE, UNICO, EGO, EASY, MASTER

DRAINER FLEX 440

Flexible drainer with silicone-coated steel bars
Dimensions: 440 x 300 x 10 mm




- BK Black
ARS013BK
- GR Grey
ARS013GR

QUADRA, QUADRA UNDERMOUNT, KARISMA, ZEN AND ZEN F

SOAP DISPENSER ROUND

Metal soap dispenser
Cutout - $\varnothing$ 35 mm
Dimensions - $\varnothing$ 39 mm




- BK Black
ADI02304BK
- GM Gun metal
ADI02304GM
- CR Chrome
ADI02304CR

SPAZIO, BEST W, KARISMA, TIME, QUADRA, UNICO, EASY, FOX

SOAP DISPENSER SQUARE

Metal soap dispenser
Cutout - $\varnothing$ 35 mm
Dimensions - 40 x 40 mm



- CR Chrome
ADI02301


SPAZIO, BEST W, KARISMA, TIME, QUADRA, UNICO, EASY, FOX

Accessories

COLANDER 380

new

Polypropylene colander
Dimensions: 380 x 165 x 86 mm




- BK Black
AVP038BK
- GR Grey
AVP038GR

BEST WORKSTATION, TIME, TIME UNDERMOUNT

BOWL 380

new

Polypropylene tray
Dimensions: 380 x 165 x 86 mm




- BK Black
ABP038BK
- GR Grey
ABP038GR

BEST WORKSTATION, TIME, TIME UNDERMOUNT

COLANDER 418

Polypropylene colander
Dimensions: 418 x 138 x 84 mm




- BK Black
AVP035BK

ZEN, ZEN F, QUADRA

POD 250

new

Multipurpose silicone container
Dimensions: 250 x 250 x 150 mm



- BK Black
APS250BK
- GR Grey
APS250GR

ALL MODELS

Drain system

FLOW PRO SYSTEM

Flow Pro 1-way drain system with rectangular overflow




- BK Black
KITWPT-F-1VSELL-BK
- GM Gun metal
KITWPT-F-1VSELL-GM
- IN Stainless steel
KITWPT-F-1VSELL-IN

BEST, BEST WORKSTATION, SPAZIO, ZEN, ZEN F

FLOW PRO OPEN UP

Flow Pro 1-way automatic drain system with rectangular overflow and open up remote control




- BK Black
KITASP-F-1VSELL-BK
- GM Gun metal
KITASP-F-1VSELL-GM
- IN Stainless steel
KITASP-F-1VSELL-IN

BEST, BEST WORKSTATION, SPAZIO

FLOW PRO OPEN TWIST

Flow Pro 1-way automatic drain system with rectangular overflow and open twist remote control



- BK Black
KITASPT-F-1VSELL-BK
- IN Stainless steel
KITASPT-F-1VSELL-IN

BEST, BEST WORKSTATION, SPAZIO

Drain system

FLOW SYSTEM

Flow 1-way drain system with round overflow




- BK Black
KITWPT-FB-1VTELL-BK
- IN Stainless steel
KITWPT-FB-1VTELL-IN

ME, QUADRA, Q-UNDERMOUNT, FOX, EASY, EGO, UNICO, LIFE, MASTER

FLOW OPEN UP

Flow 1-way automatic drain system with round overflow and open up remote control




- BK Black
KITASP-FB-1VTELL-BK
- IN Stainless steel
KITASP-FB-1VTELL-IN

TIME, UNICO, QUADRA, MASTER, FOX, EGO, EASY, LIFE

FLOW OPEN TWIST

Flow 1-way automatic drain system with round overflow and open twist remote control



- BK Black
KITASPT-FB-1VTELL-BK
- IN Stainless steel
KITASPT-FB-1VTELL-IN

TIME, UNICO, QUADRA, MASTER, FOX, EGO, EASY, LIFE

Drain system

GHOST SYSTEM

Flow 1-way drain system with waste cover and round overflow



- BK Black
KITWPT-FBC-1VTELL-BK
- IN Stainless steel
KITWPT-FBC-1VTELL-IN

TIME UNDERMOUNT

GHOST OPEN TWIST

Flow 1-way drain system with waste cover, round overflow and open twist remote control




- BK Black
KITASPT-FBC-1VTELL-BK
- IN Stainless steel
KITASPT-FBC-1VTELL-IN

Note: switch mounted on countertop

TIME UNDERMOUNT

GHOST OPEN UP

Flow 1-way automatic drain system with waste cover, round overflow and open up remote control



- BK Black
KITASP-FBC-1VTELL-BK
- IN Stainless steel
KITASP-FBC-1VTELL-IN

Note: switch mounted on countertop

TIME UNDERMOUNT

Drain system

STANDARD OPEN UP

Standard 1-way automatic drain system with round overflow and open up remote control



- BK Black
KITASP-A-1VTELL-BK
- IN Stainless steel
KITASP-A-1VTELL-IN

QUADRA, LIFE, EASY, FOX, MASTER

SQUARE OPEN UP

Square 1-way automatic drain system with rectangular overflow and open up remote control



- IN Stainless steel
KITASP-Q-1VSELL-IN

KARISMA

Taps





On-trend finishes, quality built to stand the test of time and increasingly green-minded solutions



From fashion to design, **Gun metal** is the latest on-trend colour, used to imbue these professional tap taps with a combination of contemporary refinement and a captivating industrial vibe.



Convenience and function: **the extendable hose** reaches every corner of the sink, for easier cleaning. The spray pattern control adjusts water flow to suit your requirements.



Our selection of tap taps made from high-quality 100% **stainless steel**: naturally hygienic, highly resistant and environmentally sustainable, with a brushed finish.



With the lever in the central position, the default setting is for the tap to dispense cold water, while the 2-step cartridge and low-flow spout **avoid unnecessary waste**.


Filtration, a responsible and cutting-edge choice

Find out more about the collection of filter taps that can be used in conjunction with the new Elleci Pure water filtration system, and get clean, safe and great-tasting drinking water straight from your kitchen tap. With a whole host of benefits for you and the planet.



Tourmaline PURE

Dual-lever three-way water filter tap with swivel spout.




Separate levers and spouts for mixed water and filtered water

SPECIFICATIONS		ELLECI PURE	AFICAMGR
Spout base	Ø 50 mm		
Spout rotation	360°		
Lever operation	0-90°		
Hose type	Stainless steel 3/8" mm		
Hose length	400 mm		
Cartridge	Ø 35 mm		
Hole size	Ø 35 mm		

IN Brushed Stainless Steel MIKTOUIN


- K86 Black MKKTOU86
- K96 White MKKTOU96
- G40 Nero MGKTOU40
- G68 Bianco MGKTOU68
- G51 Avena MGKTOU51



INOX AISI304 Made from 100% AISI 304 Stainless steel

Tourmaline PLUS PURE new

Dual-lever three-way water filter tap with swivel spout and pull-out spray.




Separate levers and spouts for mixed water and filtered water

SPECIFICATIONS		ELLECI PURE	AFICAMGR
Spout base	Ø 50 mm		
Spout rotation	360°		
Lever operation	0-90°		
Hose type	Stainless steel 3/8" mm		
Hose length	400 mm		
Cartridge	Ø 35 mm		
Hole size	Ø 35 mm		

IN Brushed Stainless Steel MIKTOPIN

- K86 Black MKKTOP86
- K96 White MKKTOP96
- G40 Nero MGKTOP40
- G68 Bianco MGKTOP68
- G51 Avena MGKTOP51



INOX AISI304 Made from 100% AISI 304 Stainless steel

Ventum PURE new

Dual-lever three-way water filter tap with silicone gooseneck, manoeuvrable dual-function pull-out spray and jet and rotating filtered water dispensing arm.

SPECIFICATIONS

Spout base	Ø 53 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm

● CR Chrome

● BK Black


MIKVNTCR

MOKVNTBK

ELLECI PURE



AFICAMGR



Separate levers and spouts for mixed water and filtered water



FILTER TAP



SPOUT
ROTATION 360°



LEVER
OPERATION 0-90°


elleci pure

Pure water, natural taste and respect for the environment

Imagine turning on the kitchen tap and having an endless supply of quality drinking water that's clean and rich in essential minerals for your family's health. Imagine no longer having to go to the supermarket to buy water by the bottle or crate load, having to haul it back home and then having to find room for it in the pantry.

Installing an under-sink filter is a smart and convenient way to save yourself money, time and stress. And make a valuable contribution every day to keeping the world free of plastic waste.

Elleci Pure Micro



The Elleci Pure Micro filtration system achieves excellent performance with the combined action of different methods



1. Microfiltration

Traps **rust, mold, algae and suspended microparticles** as small as 0.5 microns



2. Activated carbon

Removes **chlorine, metals and toxic residues**, using 100% sustainable activated carbon



3. Silver salts

Prevents the growth of **microorganisms**, having a powerful antibacterial action



SPECIFICATIONS

Multi-action 0.5-micron filter with activated carbon and silver salts

Service life

15,000 l/year — ideal for a single family's annual consumption

NB The filtration system works effectively with drinking water only

ACCESSORIES INCLUDED

Filter head, valve, digital water meter

0.5
micron

AFICAMGR

**pure
water**

Purifies water by removing bacteria, viruses and harmful substances

**pure
taste**

Improves water taste, odour and hardness considerably

**pure
planet**

Reduces plastic usage and CO₂ emissions



River

new

Single-lever spring-loaded gooseneck swivel spout tap with manoeuvrable dual-function pull-out spray and jet.



WATER
SAVING



SPOUT
ROTATION 360°



LEVER
OPERATION 0-90°



FULL
COLOUR


SPECIFICATIONS

Spout base	Ø 52 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	600 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm

CR Chrome MIKRIVCR

GM Gun metal MOKRIVGM

BK Black MOKRIVBK



Chef

new
design

Single-lever spring-loaded gooseneck swivel spout tap with manoeuvrable dual-function pull-out spray and jet.




SPOUT
ROTATION 360°

SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	360°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm

CR Chrome MIKCHECR



Nami

new

Single-lever silicone gooseneck swivel spout tap with manoeuvrable dual-function pull-out spray and jet.



WATER
SAVING



SPOUT
ROTATION 360°



LEVER
OPERATION 0-90°

SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	600 mm
Cartridge	Ø 25 mm
Hole size	Ø 35 mm




GM Gun metal

MOKNAMGM



BK Black

MOKNAMBK



Wave

Single-lever silicone gooseneck swivel spout tap with manoeuvrable pull-out spray.



SPOUT
ROTATION 360°



LEVER
OPERATION 0-90°

SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 25 mm
Hole size	Ø 35 mm





CR Chrome

MIKWAVCR



BK Black

MOKWAVBK



Kai

new

Single-lever gooseneck swivel spout tap with dual-function pull-out spray and jet.

WATER
SAVINGSPOUT
ROTATION 360°LEVER
OPERATION 0-90°FULL
COLOUR


SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	600 mm
Cartridge	Ø 25 mm
Hole size	Ø 35 mm

CR Chrome MIKKAICR

GM Gun metal MOKKAIGM

BK Black MOKKAIBK



Stream PLUS

Single-lever long-neck swivel spout tap with pull-out spray.

SPOUT
ROTATION 360°LEVER
OPERATION 0-90°FULL
COLOUR

SPECIFICATIONS

Spout base	Ø 54 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	470 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm

CR Chrome MIKSTPCR

G40 Nero MGKSTP40

G78 Espresso MGKSTP78

G48 Cemento MGKSTP48

G43 Tortora MGKSTP43

M79 Nuvola MMKSTP79

G39 Bianco Soft MGKSTP39

G68 Bianco MGKSTP68

G59 Antracite MGKSTP59

G51 Avena MGKSTP51


G62 Bianco Antico MGKSTP62

K86 Black MKKSTP86

K99 Concrete MKKSTP99

K95 Champagne MKKSTP95

K96 White MKKSTP96



Loch new

Single-lever long-neck swivel spout tap with pull-out spray.

SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	600 mm
Cartridge	Ø 25 mm
Hole size	Ø 35 mm




GM Gun metal

MOKLOCGM



BK Black

MOKLOCBK



WATER
SAVING



SPOUT
ROTATION 360°



LEVER
OPERATION 0-90°



FULL
COLOUR

Trail

Single-lever long-neck swivel spout tap.




SPECIFICATIONS

Spout base	Ø 54 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	470 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm


CR Chrome MIKTRACR

G40 Nero	MGKTRA40	K86 Black	MKKTRA86
G78 Espresso	MGKTRA78	K99 Concrete	MKKTRA99
G48 Cemento	MGKTRA48	K95 Champagne	MKKTRA95
G43 Tortora	MGKTRA43	K96 White	MKKTRA96
M79 Nuvola	MMKTRA79		
G39 Bianco Soft	MGKTRA39		
G68 Bianco	MGKTRA68		
G59 Antracite	MGKTRA59		
G51 Avena	MGKTRA51		
G62 Bianco Antico	MGKTRA62		



Trail PLUS

Single-lever long-neck swivel spout tap with pull-out spray.




SPECIFICATIONS

Spout base	Ø 54 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	470 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm


CR Chrome MIKTRPCR

G40 Nero	MGKTRP40	K86 Black	MKKTRP86
G78 Espresso	MGKTRP78	K99 Concrete	MKKTRP99
G48 Cemento	MGKTRP48	K95 Champagne	MKKTRP95
G43 Tortora	MGKTRP43	K96 White	MKKTRP96
M79 Nuvola	MMKTRP79		
G39 Bianco Soft	MGKTRP39		
G68 Bianco	MGKTRP68		
G59 Antracite	MGKTRP59		
G51 Avena	MGKTRP51		
G62 Bianco Antico	MGKTRP62		



Senna

Single-lever square gooseneck swivel spout tap.



SPECIFICATIONS

Spout base	Ø 54 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 40 mm
Hole size	Ø 35 mm

CR Chrome

MIKSENCR

G40 Nero

MGKSEN40

G68 Bianco


MGKSEN68

G59 Antracite

MGKSEN59

G51 Avena


MGKSEN51



Danubio

new
design

Single-lever fold-down square gooseneck swivel spout tap.



SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm

CR Chrome

MIKDANCR

G40 Nero


MGKDAN40

G68 Bianco


MGKDAN68

G51 Avena

MGKDAN51




Folds down



Neva

Single-lever gooseneck swivel spout tap with pull-out spray.



SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm

IN Brushed Stainless Steel MIKNEVIN


G40 Nero MGKNEV40

G68 Bianco MGKNEV68

G59 Antracite MGKNEV59

G51 Avena MGKNEV51


G62 Bianco Antico MGKNEV62



INOX
AISI304 Made from 100% AISI 304 Stainless steel

Adige

Single-lever gooseneck swivel spout tap.



SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm


IN Brushed Stainless Steel MIKADIIN

G40 Nero MGKADI40

G68 Bianco MGKADI68

K86 Black MKKADI86

K96 White MKKADI96



INOX
AISI304 Made from 100% AISI 304 Stainless steel

Dora PLUS

Single-lever square gooseneck swivel spout tap with pull-out spray.

SPECIFICATIONS


Spout base	Ø 50 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm

	G40 Nero
	G68 Bianco
	K86 Black
	K96 White

MGKDRP40
MGKDRP68
MKKDRP86
MKKDRP96

 IN Brushed Stainless Steel

MIKDRPIN



INOX
AISI304 Made from 100% AISI 304 Stainless steel



SPOUT
ROTATION 360°




LEVER
OPERATION 0-90°



FULL
COLOUR

Athena


Single-lever gooseneck swivel spout tap.



SPECIFICATIONS


Spout base	Ø 48 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	500 mm
Cartridge	Ø 25 mm
Hole size	Ø 35 mm

CR Chrome	MIKATHCR
G40 Nero	MGKATH40
G48 Cemento	MGKATH48
G43 Tortora	MGKATH43
M79 Nuvola	MMKATH79
G68 Bianco	MGKATH68



Athena PLUS


Single-lever gooseneck swivel spout tap with pull-out spray.



SPECIFICATIONS

Spout base	Ø 48 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	500 mm
Cartridge	Ø 25 mm
Hole size	Ø 35 mm


CR Chrome	MIKATPCR
G40 Nero	MGKATP40
G48 Cemento	MGKATP48
G43 Tortora	MGKATP43
M79 Nuvola	MMKATP79
G68 Bianco	MGKATP68



Bridge

new
design

Single-lever gooseneck swivel spout tap.



SPECIFICATIONS

Spout base	Ø 46 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 25 mm
Hole size	Ø 35 mm



CR Chrome

MIKBRICR



G40 Nero

MGKBRI40



G48 Cemento

MGKBRI48



G43 Tortora

MGKBRI43



G68 Bianco

MGKBRI68




K96 White

MKKBRI96




K86 Black

MKKBRI86



Cloud

Single-lever gooseneck swivel spout tap.



SPECIFICATIONS

Spout base	Ø 54 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	470 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm



CR Chrome

MIKCLOCR



G40 Nero

MGKCLO40



G78 Espresso

MGKCLO78



G48 Cemento

MGKCLO48



G43 Tortora

MGKCLO43



79 Nuvola

MMKCLO79



G39 Bianco Soft

MGKCLO39



G68 Bianco

MGKCLO68



G59 Antracite

MGKCLO59



G51 Avena

MGKCLO51



G62 Bianco Antico

MGKCLO62



K86 Black

MKKCLO86



K99 Concrete

MKKCLO99




K95 Champagne

MKKCLO95



K96 White

MKKCLO96



Reno


Single-lever swivel spout tap with pull-out spray.



SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	115°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm

 CR Chrome	MIKRENCR
 G40 Nero	MGKREN40
 G48 Cemento	MGKREN48
 G43 Tortora	MGKREN43
 G68 Bianco	MGKREN68
 G59 Antracite	MGKREN59
 K86 Black	MKKREN86
 K96 White	MKKREN96



Sava


Single-lever swivel spout tap.



SPECIFICATIONS

Spout base	Ø 50 mm
Spout rotation	360°
Hose type	Stainless steel 3/8" mm
Hose length	400 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm

 CR Chrome	MIKSAVCR
 G40 Nero	MGKSAV40
 G48 Cemento	MGKSAV48
 G43 Tortora	MGKSAV43
 G68 Bianco	MGKSAV68
 G59 Antracite	MGKSAV59
 K86 Black	MKKSAV86
 K96 White	MKKSAV96



Taos new

Single-lever swivel spout tap with dual-function pull-out spray and jet.

SPECIFICATIONS

Spout base Ø 46 mm
 Spout rotation 90°
 Hose type Stainless steel 3/8" mm
 Hose length 600 mm
 Cartridge Ø 35 mm
 Hole size Ø 35 mm




CR Chrome

MIKTAOCR



BK Black

MOKTAOBK



WATER
SAVING



FULL
COLOUR

Venere


Single-lever swivel spout tap with dual-function pull-out spray and jet.



SPECIFICATIONS

Spout base	Ø 55 mm
Spout rotation	125°
Hose type	Stainless steel
Hose length	3/8" mm
Cartridge	400 mm
Hole size	Ø 40mm
	Ø 35 mm

 CR Chrome	MIKVENCR
 G40 Nero	MGKVEN40
 G68 Bianco	MGKVEN68
 G59 Antracite	MGKVEN59
 G51 Avena	MGKVEN51



Minerva


Single-lever swivel spout tap.



SPECIFICATIONS

Spout base	Ø 55 mm
Spout rotation	360°
Hose type	Stainless steel
Hose length	3/8" mm
Cartridge	400 mm
Hole size	Ø 40 mm
	Ø 35 mm

 CR Chrome	MIKMINCR
 G40 Nero	MGKMIN40
 G68 Bianco	MGKMIN68
 G59 Antracite	MGKMIN59
 G51 Avena	MGKMIN51



Po

Single-lever swivel spout tap.



SPOUT
ROTATION 360°



LEVER
OPERATION 0-90°

SPECIFICATIONS

Spout base	Ø 51 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Nylon 3/8" mm
Hose length	370 mm
Cartridge	Ø 35 mm
Hole size	Ø 35 mm



CR Chrome

MIKPOCR



G40 Nero

MGKPO40



G68 Bianco

MGKPO68




G59 Antracite

MGKPO59



G51 Avena

MGKPO51



Rio

Single-lever swivel spout tap.



SPOUT
ROTATION 360°



LEVER
OPERATION 0-90°

SPECIFICATIONS

Spout base	Ø 54 mm
Spout rotation	360°
Lever operation	0-90°
Hose type	Stainless steel 3/8" mm
Hose length	370 mm
Cartridge	Ø 40 mm
Hole size	Ø 35 mm



CR Chrome

MIKRIOCR




OT Brass

MIKRIOOT



G51 Avena

MGKRIO51



Appliances



Urban induction 80 hob
black



Urban induction 80 hob
city dune



Urban microwave
total black

Urban plus oven
total black



Urban oven
total black

Plano plus oven and microwave G43 tortora



Urban glass 75 hob total black

Plano 75 hob
G43 tortora

Time workstation undermount 130
G43 tortora



Plano microwave
G40 nero



Plano oven
G40 nero



Plano 90 hob
G40 nero

Spazio workstation 600
K86 black



Country oven
G59 antracite



Style country 90 hob
G59 antracite



Urban 80 INDUCTION

80 cm ceramic glass induction hob

SPECIFICATIONS

MATERIAL = Ceramic glass

Slide touch controls with white LEDs

4 cooking zones with automatic pan detection, total output 7.4 kW

- 2 bridging zones 210 x 190 mm output 2.1 kW (P=3 kw) left front and rear

- 1 zone Φ = 250 mm output 2.3 kW (P=3 kW) centre

- 1 zone Φ = 160 mm output 1.4 kW (P=2.1 kW) right front

Power supply: single-phase 220-240 V 50-60 Hz; three-phase 380-415 V 50-60 Hz

9-level electronic control; powerboost function for each cooking zone

STOP & GO controls to pause and resume cooking

Output limiter with 8 settings and minimum value of 1.6 kW

Each zone has its own independent digital cooking time programmer

Timer function with audible alarm


CHEF function with 3 zones preset to different cooking power settings

KEEP WARM function

Automatic safety shutoff

Residual heat indicator

Child safety lock



● BK Black

PVIU801BK

○ CD City Dune

PVIU801CD

new
colour



WHITE LED
LIGHTS



SLIDE TOUCH
CONTROLS



BRIDGING
FUNCTION



COOKING STOP
AND GO



CHEF
COOKING



KEEP WARM



Urban 60 INDUCTION

60 cm ceramic glass induction hob



SPECIFICATIONS

MATERIAL = Ceramic glass

Slide touch controls with white LEDs

4 cooking zones with automatic pan detection, total output 7.4 kW

- 2 bridging zones 210 x 190 mm output 2.1 kW (P=3 kw) left front and rear

- 1 zone Φ = 200 mm Output 2.3 kW (P=3 kW) right rear

- 1 zone Φ = 145 mm Output 1.4 kW (P=1.85 kW) right front

Power supply: single-phase 220-240 V 50-60 Hz; three-phase 380-415 V 50-60 Hz

9-level electronic control; powerboost function for each cooking zone

STOP & GO controls to pause and resume cooking

Output limiter with 8 settings and minimum value of 1.6 kW

Each zone has its own independent digital cooking time programmer

Timer function with audible alarm



CHEF function with 3 zones preset to different cooking power settings

KEEP WARM function

Automatic safety shutoff

Residual heat indicator

Child safety lock



Urban 30 INDUCTION

30 cm ceramic glass induction hob



SPECIFICATIONS

MATERIAL = Ceramic glass

Slide touch controls with white LEDs

2 cooking zones with automatic pan detection, total output 3.7 kW

- 2 bridging zones 210 x 190 mm Output 2.1 kW (P=3 kw) front and rear

Power supply: single-phase 220-240 V 50-60 Hz; three-phase 380-415 V 50-60 Hz

9-level electronic control; powerboost function for each cooking zone

STOP & GO controls to pause and resume cooking

Output limiter with 4 settings and minimum value of 1.6 kW

Each zone has its own independent digital cooking time programmer


Timer function with audible alarm

KEEP WARM function

Automatic safety shutoff

Residual heat indicator

Child safety lock



Urban 75 GLASS

new

75 cm toughened glass gas hob

SPECIFICATIONS

MATERIAL = Black toughened glass

5 gas burners

- 1 semirapid Output 1.75 kW right front

- 1 semirapid Output 1.75 kW right rear

- 1 rapid Output 3 kW left rear

- 1 auxiliary Output 1 kW left front

- 1 wok burner 4 kW centre

Individual cast iron trivets, cast iron burner caps

Coffee pot stand provided


Soft-touch black knobs for more enjoyable use

Electric under-knob ignition

Comes ready for use with natural gas

LPG nozzle kit provided

Flame-failure safety valve



● BK Black

PVGU752BK



WOK RING



BUILT-IN
IGNITION



CAST IRON
TRIVETS



SOFT-TOUCH
KNOBS



Urban 60 GLASS new

60 cm toughened glass gas hob



WOK RING



BUILT-IN
IGNITION



CAST IRON
TRIVETS



SOFT-TOUCH
KNOBS

SPECIFICATIONS

MATERIAL = Black toughened glass

4 gas burners

- 1 auxiliary Output 1 kW right front

- 1 semirapid Output 1.75 kW right rear

- 1 semirapid Output 1.75 kW left rear

- 1 wok burner 4 kW left front

Individual cast iron trivets, cast iron burner caps

Coffee pot stand provided

Soft-touch black knobs for more enjoyable use

Electric under-knob ignition

Comes ready for use with natural gas


LPG nozzle kit provided

Flame-failure safety valve



BK Black

PVGU602BK



Plano 90

90cm enamel gas hob

SPECIFICATIONS

MATERIAL = Enamel-glazed metal

5 gas burners

- 1 semirapid output 1.75 kW left front
- 1 auxiliary output 1 kW left rear
- 1 semirapid output 1.75 kW right rear
- 1 rapid output 3 kW right front
- 1 wok burner 4 kW centre

Individual cast iron trivets, cast iron burner caps


Soft-touch black knobs for more enjoyable use

Electric under-knob ignition

Comes ready for use with natural gas

LPG nozzle kit provided

Flame-failure safety valve



WOK RING



BUILT-IN
IGNITION




CAST IRON
TRIVETS



SOFT-TOUCH
KNOBS




Plano 90



G68 Bianco PGSP90168CS
Can be paired with K96 White



G40 Nero PGSP90140CS
Can be paired with K86 Black



G51 Avena PGSP90151CS



Plano 75

75cm enamel gas hob



M79 Nuvola PMSP75179CS Can be paired with K88 Cloud



WOK RING



BUILT-IN
IGNITION



CAST IRON
TRIVETS



SOFT-TOUCH
KNOBS

SPECIFICATIONS

MATERIAL = Enamel-glazed metal

5 gas burners

- 1 semirapid Output 1.75 kW right front
- 1 semirapid Output 1.75 kW right rear
- 1 rapid Output 3 kW left rear
- 1 auxiliary Output 1 kW left front
- 1 wok burner 4 kW centre

Individual cast iron trivets, cast iron burner caps


Soft-touch black knobs for more enjoyable use

Electric under-knob ignition

Comes ready for use with natural gas

LPG nozzle kit provided

Flame-failure safety valve



G40 Nero PGSP75140CS
Can be paired with K86 Black



G48 Cemento PGSP75148CS
Can be paired with K99 Concrete



G68 Bianco PGSP75168CS
Can be paired with K96 White



G51 Avena PGSP75151CS



G43 Tortora PGSP75143CS
Can be paired with K89 Dove



IN Stainless steel PIAP751INC

Plano 60

60cm enamel gas hob



 **G43 Tortora** PGSP60143WS Can be paired with K99 Dove



WOK RING



BUILT-IN
IGNITION



CAST IRON
TRIVETS



SOFT-TOUCH
KNOBS

SPECIFICATIONS

MATERIAL = Enamel-glazed metal

4 gas burners

- 1 auxiliary Output 1 kW right front
- 1 semirapid Output 1.75 kW right rear
- 1 semirapid Output 1.75 kW left rear
- 1 wok burner 4 kW left front

Individual cast iron trivets, cast iron burner caps


Soft-touch black knobs for more enjoyable use

Electric under-knob ignition

Comes ready for use with natural gas

LPG nozzle kit provided


Flame-failure safety valve



 **G40 Nero** PGSP60140WS
Can be paired with K86 Black



 **G48 Cemento** PGSP60148WS
Can be paired with K99 Concrete



 **G68 Bianco** PGSP60168WS
Can be paired with K96 White



 **G51 Avena** PGSP60151WS



 **M79 Nuvola** PMSP60179WS
Can be paired with K88 Cloud



 **IN Stainless steel** PIAP601INWS

Style country 90

90cm enamel gas hob

SPECIFICATIONS

MATERIAL = Enamel-glazed metal

5 gas burners

- 1 semirapid Output 1.75 kW right front

- 1 rapid Output 3 kW right rear

- 1 semirapid Output 1.75 kW left rear

- 1 auxiliary Output 1 kW left front

- 1 wok burner 4 kW centre

Individual cast iron trivets, cast iron burner caps


Knobs with brass-plated finish

Electric under-knob ignition

Comes ready for use with natural gas

LPG nozzle kit provided

Flame-failure safety valve



WOK RING



BUILT-IN
IGNITION



CAST IRON
TRIVETS



Style country 90



G51 Avena

PGSC90151CN



G59 Antracite

PGSC90159CN



Style country 75

75cm enamel gas hob



WOK RING



BUILT-IN
IGNITION



CAST IRON
TRIVETS



G51 Avena

PGSC75351CB



G59 Antracite

PGSC75359CB

SPECIFICATIONS

MATERIAL = Enamel-glazed metal

5 gas burners

- 1 semirapid Output 1.75 kW right front
- 1 rapid Output 3 kW right rear
- 1 semirapid Output 1.75 kW left rear
- 1 auxiliary Output 1 kW left front
- 1 wok burner 4 kW centre

Individual cast iron trivets, cast iron burner caps


Knobs with brass-plated finish

Electric under-knob ignition

Comes ready for use with natural gas

LPG nozzle kit provided

Flame-failure safety valve



Style country 60

60cm enamel gas hob



SPECIFICATIONS

MATERIAL = Enamel-glazed metal

4 gas burners

- 1 semirapid Output 1.75 kW right front

- 1 rapid Output 3 kW right rear

- 1 semirapid Output 1.75 kW left rear

- 1 auxiliary Output 1 kW left front

Individual cast iron trivets, cast iron burner caps

Knobs with brass-plated finish

Electric under-knob ignition

Comes ready for use with natural gas

LPG nozzle kit provided

Flame-failure safety valve




G51 Avena

PGSC60251WB



G59 Antracite

PGSC60259WB



Style 75

75cm enamel gas hob



WOK RING



BUILT-IN
IGNITION



SOFT-TOUCH
KNOBS

SPECIFICATIONS

MATERIAL = Enamel-glazed metal

5 gas burners

- 1 semirapid Output 1.75 kW right front
- 1 rapid Output 3 kW right rear
- 1 semirapid Output 1.75 kW left rear
- 1 auxiliary Output 1 kW left front
- 1 wok burner 4 kW centre

Laminated metal trivets

Soft-touch black knobs for more enjoyable use

Electric under-knob ignition

Comes ready for use with natural gas

LPG nozzle kit provided

Flame-failure safety valve



G68 White PGSS75368CB
Can be paired with K96 White




G48 Cemento PGSS75348CB
Can be paired with K99 Concrete



G51 Avena PGSS75351CB



G59 Antracite PGSS75359CB



Style 60

60cm enamel gas hob



BUILT-IN
IGNITION





SOFT-TOUCH
KNOBS


SPECIFICATIONS

MATERIAL = Enamel-glazed metal

- 4 gas burners
 - 1 auxiliary Output 1 kW right front
 - 1 rapid Output 3 kW right rear
 - 1 semirapid Output 1.75 kW left rear
 - 1 auxiliary Output 1 kW left front
- Laminated metal trivets
- Soft-touch black knobs for more enjoyable use
- Electric under-knob ignition
- Comes ready for use with natural gas
- LPG nozzle kit provided
- Flame-failure safety valve




G68 White PGSS60268WB
Can be paired with K96 White



G48 Cemento PGSS60248WB
Can be paired with K99 Concrete



G51 Avena PGSS60251WB



G59 Antracite PGSS60259WB

Urban Plus

60cm all-glass fan-assisted oven, 8 functions

SPECIFICATIONS

MATERIAL = Glass

OVEN FUNCTIONS

Fan, classic bake, fan bake, fan forced, easy clean, fan grill, grill, multipurpose cooking (3D)

Digital display with timer and LED lights

Easy Clean steam clean

Temperature range 40-240°C

XXL cavity: 80 Litre capacity

6 shelf positions with chrome-plated side shelf runners

Soft-touch black knobs and black handle

Halogen interior light


Triple-glazed cool door

Removable glass panels and door

A energy rating

ACCESSORIES INCLUDED = 1 rack, 1 enamel drip pan

OPTIONAL ACCESSORIES = 1 air fry rack AGF001IN



WHITE LED LIGHTS



STEAM CLEAN



COOL DOOR




REMOVABLE GLASS DOOR PANEL



SOFT-TOUCH KNOBS



XXL CAVITY



BK Black

FVUP601BKNB



Urban

60cm all-glass fan-assisted oven, 7 functions



COOL DOOR



REMOVABLE
GLASS DOOR
PANEL



**SOFT-TOUCH
KNOBS**



XXL CAVITY

SPECIFICATIONS


MATERIAL = Glass

OVEN FUNCTIONS

Light with fan, fan grill, fan assisted, classic bake, fan bake, top heat with fan, grill

Mechanical timer
Temperature range 40-240°C
XXL cavity: 80 Litre capacity
6 shelf positions with chrome-plated side self runners
Soft-touch black knobs and black handle
Halogen interior light
Triple-glazed cool door
Removable glass panels and door
A energy rating

ACCESSORIES INCLUDED = 1 rack, 1 enamel drip pan
OPTIONAL ACCESSORIES = 1 air fry rack AGF001IN



Urban MW

38cm all-glass microwave, 10 programs



WHITE LED LIGHTS



**MICROWAVE +
GRILL**



DEFROST



CAPACITY 28 L

SPECIFICATIONS


MATERIAL = Glass

MICROWAVE FUNCTIONS

MICROWAVE FUNCTIONS
10 programs for different food types

- Microwave
- Microwave + grill
- Defrost with time entry
- Defrost with weight entry
- Timer
- Digital display with timer and LED lights
- Temperature control
- Cavity capacity: 28 litres
- Stainless steel cavity
- Touch controls
- Door hinge: Left
- Safety: child lock function

ACCESSORIES INCLUDED = 1 x 288mm glass turntable plate, 1 rack



Plano Plus

60cm fan-assisted oven with coloured frame, 8 functions

SPECIFICATIONS

MATERIAL = glass with coloured frame

OVEN FUNCTIONS

fan, classic bake, fan bake, fan forced, easy clean, fan grill, grill, multipurpose cooking (3D)

Digital display with timer and LED lights

Easy Clean steam clean

Temperature range 40-240°C

XXL cavity: 80 Litre capacity

6 shelf positions with chrome-plated side shelf runners

Soft-touch black knobs and black handle

Halogen interior light


Triple-glazed cool door

Removable glass panels and door

A energy rating

ACCESSORIES INCLUDED = 1 rack, 1 enamel drip pan

OPTIONAL ACCESSORIES = 1 air fry rack AGF001IN



WHITE LED LIGHTS



STEAM CLEAN



COOL DOOR



REMOVABLE GLASSDOOR PANEL



SOFT-TOUCH KNOBS



XXL CAVITY



Plano Plus

60cm fan-assisted oven with coloured frame, 8 functions



G40 Nero FGPP60240NS
Can be paired with K86 Black



G48 Cemento FGPP60248NS
Can be paired with K99 Concrete



G43 Tortora FGPP60243NS
Can be paired with K89 Dove



M79 Nuvola FMPP60279NS
Can be paired with K88 Cloud



G68 Bianco FGPP60268NS
Can be paired with K96 White



G51 Avena FGPP60251NS



IN Stainless steel FIPP602INNS

Plano

60cm fan-assisted oven with coloured frame, 7 functions

SPECIFICATIONS


MATERIAL = glass with coloured frame

OVEN FUNCTIONS

Light with fan, fan grill, fan assisted, classic bake, fan bake, top heat with fan, grill

Mechanical timer
Temperature range 40-240°C
XXL cavity: 80 Litre capacity
6 shelf positions with chrome-plated side shelf runners
Soft-touch black knobs and black handle
Halogen interior light
Triple-glazed cool door
Removable glass panels and door
A energy rating

ACCESSORIES INCLUDED = 1 rack, 1 enamel drip pan
OPTIONAL ACCESSORIES = 1 air fry rack AGF001IN



COOL DOOR



REMOVABLE
GLASS DOOR
PANEL



**SOFT-TOUCH
KNOBS**



XXL CAVITY



Plano

60cm fan-assisted oven with coloured frame, 7 functions



G40 Nero FGSP60240NS
Can be paired with K86 Black



G48 Cemento FGSP60248NS
Can be paired with K99 Concrete



G43 Tortora FGSP60243NS
Can be paired with K89 Dove



M79 Nuvola FMSP60279NS
Can be paired with K88 Cloud



G68 Bianco FGSP60268NS
Can be paired with K96 White



G51 Avena FGSP60251NS



IN Stainless steel FIAP602INNS

Plano MW

38cm microwave with coloured frame, 10 programs

SPECIFICATIONS


MATERIAL = glass with coloured frame

MICROWAVE FUNCTIONS

10 programs for different food types

Microwave
Microwave + grill
Defrost with time entry
Defrost with weight entry
Timer
Digital display with timer and LED lights
Temperature control
Cavity capacity: 28 litres
Stainless steel cavity
Black controls
Door hinge: Left
Safety: child lock function

ACCESSORIES INCLUDED = 1 rack, 1 x 315mm glass turntable plate



WHITE LED
LIGHTS



MICROWAVE +
GRILL



DEFROST



CAPACITY 28 L



Plano MW

38cm microwave with coloured frame, 10 programs



● G40 Nero FGSP28140WS
Can be paired with K86 Black



○ G68 White FGSP28168WS
Can be paired with K96 White



● G43 Tortora FGSP28143WS
Can be paired with K89 Dove



● G48 Cemento FGSP28148WS
Can be paired with K99 Concrete



● M79 Nuvola FMSP28179WS
Can be paired with K88 Cloud



● G51 Avena FGSP28151WS



● IN Stainless steel FIAP281INWS



● G59 Antracite FGSP28159WS

Country

60cm coloured metal fan-assisted oven, 7 functions

SPECIFICATIONS


MATERIAL = coloured metal

OVEN FUNCTIONS

light with fan, fan grill, fan assisted, classic bake, fan bake, top heat with fan, grill

Analogue timer
Temperature range 40-240°C
XXL cavity: 80 Litre capacity
6 shelf positions with chrome-plated side shelf runners
Knobs and handle in brass finish
Halogen interior light
Triple-glazed cool door
Removable glass panels and door
A energy rating

ACCESSORIES INCLUDED = 1 rack, 1 enamel drip pan
OPTIONAL ACCESSORIES = 1 air fry rack AGF001IN



COOL DOOR



REMOVABLE
GLASS DOOR
PANEL



XXL CAVITY



Country

60cm coloured metal fan-assisted oven, 7 functions




● G59 Antracite

FGC060159NS



● G51 Avena

FGC060151NS



Brio HOOD

Enamel extraction hood

SPECIFICATIONS

DIMENSIONS = 782 x 372 x 490 mm

ENERGY RATING = D

CONTROLS = slider touch

MAXIMUM EXTRACTION RATE = 368 m³/h

PRESSURE = 218 Pa

MAXIMUM NOISE LEVEL = 58 dbA


OUTLET = 120

● G40 Nero

KGPB8040M

● Carbon filter accessory

AFC01304



Urban HOOD

Enamel extraction hood

SPECIFICATIONS


DIMENSIONS = 493 x 486 x H 406 mm
ENERGY RATING = D
CONTROLS = slider touch
MAXIMUM EXTRACTION RATE = 520 m³/h
PRESSURE = 151 Pa
MAXIMUM NOISE LEVEL = 65 dbA
OUTLET = 120

● G40 Nero

KG PUR040M

● Carbon filter accessory

AFC01305




elleci zero

Say goodbye to waste and smells

The food waste disposal unit is a must-have tool in your kitchen arsenal to keep the space clean and tidy. Whether prepping food or tidying up after a meal, this small appliance punches above its weight, offering advanced features to immediately dispose of organic waste emptied down the sink drain, without having to fill your food waste bin.

The Elleci Zero waste disposal system grinds organic waste and transfers it into the wastewater stream in a few simple steps:

1. Turn on the cold water and allow to run
2. Use the Air Switch to turn on the disposal unit
3. Empty your food scraps down the drain: vegetables, fruit, fishbones, shells, chicken bones, etc.
4. Keep the water running until everything has been disposed of



Good daily habits are the best contribution we can make to a sustainable future



Encourages recycling of organic waste



Reduces transport-related CO2 emissions



Minimizes methane gas emissions generated by waste in landfills



Supports the water treatment process



Helps with the production of biogas and compost

**zero
waste**

Reduces organic waste and keeps the kitchen clean and healthy

**zero
odour**

Eliminates smells caused by accumulating waste

**zero
risk**

100% safe even for children and pets



elleci zero

Easy to use and always ready for action

Elleci Zero has been designed to deliver unbeatable safety, power and speed of disposal, minimizing vibrations and noise and taking up next to no space in the base cabinet under the sink.



Instant disposal



Reset system ensures complete safety



Protection from bacteria and odours



Whisper quiet



Stainless steel flanges and components



Air Switch included



Easy installation



Compact size



Compatible with both composite and steel sinks

2 Solutions designed to cater to the requirements of every household

Elleci Zero 100 Series



SPECIFICATIONS

Dimensions	401 x 194 mm
Power	0.75 kW
Voltage VAC	220/240 V
Frequency	50-60 Hz
Current demand	3.4 A
RPM	2800 RPM
Weight	5.4 Kg
Capacity	1070 ml

100 SERIES

TDZ100GR

Elleci Zero 60 Series



SPECIFICATIONS

Dimensions	376 x 194 mm
Power	0.46kW
Voltage VAC	220/240 V
Frequency	50-60 Hz
Current demand	2.1 A
RPM	2500 RPM
Weight	5 Kg
Capacity	860 ml

60 SERIES

TDZ060GR

ACCESSORIES INCLUDED



Elbow fitting



Removable and machine washable rubber splash guard



Waste plunger



Standard plug



Air Switch
(uses air pressure to switch on the unit instead of electricity)

OPTIONAL ACCESSORIES




Square waste disposal unit flange
ATQ01300



Remote control ON/OFF switch
ARP01300

elleci beauty



200 ml
DLL01603

DEEP CLEANER Stain remover

Stain remover spray cleaner, removes even the most stubborn stains on all Elleci composite sinks and washbasins.



200 ml
DLA01603

DAILY CLEANER Limescale remover

Limescale remover spray cleaner, dissolves scale while being kind to surfaces. Recommended for periodic cleaning of Elleci composite sinks and washbasins.



100 ml
DLP01601

Beauty Protector

Protective spray cleaner, protects the product from dirt and limescale and keeps it looking beautiful, reviving its colour and boosting its water repellence.

KEB00103

Beauty Kit

Three must-have products for the complete care and cleaning of composite sinks: the Stain Remover works deep down; the Limescale Remover cleaner eliminates scale; and the Beauty Protector revives colour.



250 ml
DLA01602

DAILY CLEANER Clean Power

Spray cleaner specifically formulated for coloured and enamel surfaces. Recommended for daily cleaning of coloured Elleci tap taps and appliances.



DKP01000

FAST CLEAN Sponge kit

Kit comprising 3 non-scratch two-sided sponges designed to remove even the toughest dirt and grime. The white side tackles delicate surfaces without scratching them, while the soft blue side has plenty of absorption power.



DKP01001

FAST CLEAN Microfibre cloths

Kit comprising 2 highly absorbent microfibre cloths with a special chequered pattern for drying sinks and removing residues of all kinds without damaging the surface.

Care and maintenance

Elleci Beauty is a line formulated to bring out and protect the beauty of composite sinks. A daily care routine that will keep Elleci products looking and performing like new.

Elleci Beauty cleaners deliver deep-down gentle cleaning, day in day out.

Each formula is the product of painstaking research and has been designed to tackle even the toughest stains, remove germs and bacteria, dissolve scale and retain colour intensity.

Your daily routine for a sink that always looks flawless

Remove any stains using a soft sponge and a mild dishwashing liquid or specific product from the Elleci Beauty line.



Rinse surfaces using plenty of lukewarm water.



Dry the surface thoroughly with a soft cloth or microfibre to stop limescale deposits forming.



To prevent limescale staining on the surface, it is best to give surfaces a deeper clean once or twice a week using a limescale remover cleaner like the Daily Clean limescale remover spray from the Elleci Beauty line.



Additional
warnings and tips



Spare parts

	FLOW PRO STAINLESS STEEL WASTEKIT, 1-WAY FLOW PRO 3-1/2" 1-WAY WASTE WITH STAINLESS STEEL STRAINER PLUG AND CORRUGATED HOSE, WITH NO OVERFLOW	ITEM NO. WPT90CTPLUXF	composite sinks
	RECTANGULAR OVERFLOW KIT OVERFLOW WITH SLIM RECTANGULAR OUTLET AND STAINLESS STEEL COVER, COMPLETE WITH FITTINGS	ITEM NO. KTSMELL	
	FLOW PRO WASTEKIT WITH BLACK SLIM OVERFLOW FLOW PRO 3-1/2" 1-WAY WASTE WITH BLACK STRAINER PLUG AND CORRUGATED HOSE, WITH BLACK "ELLECI" SLIM OVERFLOW	ITEM NO. KITWPT-F-1VSELL-BK	
	FLOW PRO WASTEKIT WITH GUN METAL SLIM OVERFLOW FLOW PRO 3-1/2" 1-WAY WASTE WITH GUN METAL STRAINER PLUG AND CORRUGATED HOSE, WITH GUN METAL "ELLECI" SLIM OVERFLOW	ITEM NO. KITWPT-F-1VSELL-GM	
	FLOW PRO STAINLESS STEEL WASTE BASKET STRAINER FLOW PRO BRUSHED STAINLESS STEEL STRAINER PLUG	ITEM NO. TAPF01IN	
	FLOW PRO BLACK WASTE BASKET STRAINER FLOW PRO BLACK STRAINER PLUG	ITEM NO. TAPF01BK	
	FLOW PRO GUN METAL WASTE BASKET STRAINER FLOW PRO GUN METAL STRAINER PLUG	ITEM NO. TAPF01GM	
	FLOW WASTEKIT WITH STAINLESS STEEL ROUND OVERFLOW FLOW 3-1/2" 1-WAY WASTE WITH STAINLESS STEEL STRAINER PLUG AND CORRUGATED HOSE, WITH STAINLESS STEEL "ELLECI" ROUND OVERFLOW	ITEM NO. KITWPT-FB-1VTELL-IN	
	FLOW WASTEKIT WITH BLACK ROUND OVERFLOW FLOW 3-1/2" 1-WAY WASTE WITH BLACK TECHNOPOLYMER STRAINER PLUG AND CORRUGATED HOSE, WITH BLACK "ELLECI" ROUND OVERFLOW	ITEM NO. KITWPT-FB-1VTELL-BK	
	FLOW UNSLOTTED STAINLESS STEEL WASTEKIT FLOW 3-1/2" STAINLESS STEEL UNSLOTTED WASTE WITH STRAINER PLUG	ITEM NO. WPT90STPLUXFB	
	FLOW UNSLOTTED BLACK WASTEKIT FLOW 3-1/2" BLACK TECHNOPOLYMER UNSLOTTED WASTE WITH STRAINER PLUG	ITEM NO. WPT90STPLUXFB-BK	composite sinks
	STAINLESS STEEL WASTE COVER STAINLESS STEEL GHOST WASTE COVER	ITEM NO. ACPP1000IN	
	BLACK WASTE COVER BLACK GHOST WASTE COVER	ITEM NO. ACPP1000BK	
	STAINLESS STEEL 1-WAY WASTEKIT 3-1/2" 1-WAY WASTE WITH STRAINER PLUG AND CORRUGATED HOSE, WITH NO OVERFLOW	ITEM NO. WBB90CTPLUXR	
	STAINLESS STEEL UNSLOTTED WASTEKIT 3-1/2" UNSLOTTED WASTE WITH STRAINER PLUG	ITEM NO. WBB90STPLUXR	
	1-WAY WASTEKIT, SQUARE DRAIN 3-1/2" UNSLOTTED WASTE WITH STRAINER PLUG	ITEM NO. WPT90CTPLUXQ	
	WASTEKIT 70mm UNSLOTTED WASTE WITH STRAINER PLUG, SET EXCLUSIVE TO EASY 325 and EASY 425 SINKS	ITEM NO. WPT70STPLUXA	
	ROUND OVERFLOW KIT OVERFLOW WITH ROUND OUTLET AND STAINLESS STEEL COVER, COMPLETE WITH FITTINGS	ITEM NO. KTTMELL	
	1-WAY TRAP KIT SPACE-SAVING 1-WAY TRAP WITH INSPECTION PORT FOR SINGLE-BOWL SINKS	ITEM NO. COMPSIF1V	
	2-WAY TRAP KIT SPACE-SAVING 2-WAY TRAP WITH INSPECTION PORT FOR DOUBLE-BOWL SINKS	ITEM NO. COMPSIF2V	

	STAGGERED 2-WAY TRAP KIT SPACE-SAVING STAGGERED 2-WAY TRAP WITH INSPECTION PORT FOR DOUBLE-BOWL SINKS	ITEM NO. COMPSIF2VU	composite sinks		ELBOW FITTING SET ELBOW FITTING WITH GASKETS	ITEM NO. IKT90003
	TOP MOUNT CLIP SET SET OF 6 CLIPS AT 23° ANGLE READY FITTED WITH SCREWS AND SUPPLIED WITH PLASTIC SHIMS, FOR COMPOSITE SINK MOUNTING	ITEM NO. BOXGAN06			AIR SWITCH KIT AIR SWITCH WITH RUBBER HOSE AND FOR WASTE DISPOSAL UNIT	ITEM NO. IKT90002
	TOP MOUNT CLIP SET SET OF 6 CLIPS AT 90° ANGLE READY FITTED WITH SCREWS AND SUPPLIED WITH PLASTIC SHIMS, FOR COMPOSITE SINK MOUNTING	ITEM NO. BOXGAN06S			SPLASH GUARD RUBBER SPLASH GUARD	ITEM NO. PPT90010
	UNDERMOUNT CLIP SET SET OF 6 CLIPS WITH SCREWS FOR COMPOSITE SINK UNDERMOUNTING	ITEM NO. AKS01301			REMOTE CONTROL WASTE DISPOSAL UNIT REMOTE CONTROL ON/OFF SWITCH	ITEM NO. ARP01300
	HOLE SAW DRILL BIT DIAMOND HOLE SAW, 35mm DIAMETER FOR CUTTING TAP HOLES IN COMPOSITE SINKS	ITEM NO. FRES17			WASTE PLUNGER PLASTIC WASTE PLUNGER	ITEM NO. PPT90000
	BEAUTY KIT KIT CONTAINING THREE PRODUCTS FOR THE COMPLETE CARE AND CLEANING OF COMPOSITE SINKS	ITEM NO. KEB00103	filtration			
	ELLECI PURE FILTER MULTI-ACTION 0.5-MICRON FILTER WITH ACTIVATED CARBON AND SILVER SALTS	ITEM NO. RFPMULM				
	PLUG WASTE DISPOSAL UNIT ROUND PLUG	ITEM NO. IKT90004				
	CONNECTION FLANGE KIT CONNECTION FLANGE FOR ELLECI WASTE DISPOSAL UNIT WITH GASKETS, RUBBER SPLASH GUARD, RING AND MOUNTING RING	ITEM NO. IKT90001	waste disposal units			
	SQUARE CONNECTION FLANGE FOR ELLECI WASTE DISPOSAL UNIT FOR SINKS WITH SQUARE DRAIN	ITEM NO. ATQ01300				

elleci care

By your side

Here at Elleci, we're committed to cultivating and strengthening a relationship of trust with our customers.

We're very much focused on consumer requirements at every stage, from pre-sales through to after-sales, delivering ongoing support and being here to solve any issues and ensure lasting satisfaction

Web-based customer support

In a matter of clicks
from the Help & Support page on our www.elleci.com website, you can:

- request information on products
- find your nearest store
- get care and maintenance tips and instructions
- open a customer support ticket



Elleci Help and Support

Get in touch on our Freephone number

We've upgraded our Elleci **Customer Care**: we have a qualified team here to answer calls from landlines or mobiles from Monday to Friday from 8.30am to 1pm and from 2pm to 5.30pm.

We're committed to providing you with the help you need at every stage of the purchase process.

 **FREEPHONE NUMBER**
800 800 803

The service is only available to customers calling from Italy, the Vatican City and Republic of San Marino; if you require technical support and are in another country, please contact the dealer you purchased the Elleci product from.

Collections table of contents

composite sinks		Best workstation page 26
		Best workstation Total black page 32
		Spazio page 36
		Time workstation page 42
		Time workstation Total black page 48
		Time undermount page 52
		Time undermount Total black page 55

composite sinks		Zen page 58
		Zen F page 64
		Karisma page 70
		Quadra page 76
		Quadra sottotop page 86
		Fox page 96
		Best page 102

composite sinks



Unico
page 108



**Unico
Total black**
page 117



Ego
page 120



Easy
page 126



Life
page 134



Master
page 144

stainless steel sinks




Stainless steel sinks
page 150

accessories



Accessories
page 166

Taps



Elleci Pure filter taps
page 180



Taps
page 184

Collections table of contents

hobs		Urban induction page 200	ovens		Urban Plus page 214
		Urban glass page 202			Urban page 215
		Plano page 204			Urban MW page 215
		Style country page 208			Plano Plus page 216
		Style page 212			Plano page 218
					Plano MW page 220
					Country page 222

hoods



Hoods
page 224

waste disposal units



Elleci Zero
page 226

cleaning and care



Elleci Beauty
page 230

PROJECT COORDINATION

Elleci S.p.a.

CONCEPT AND DESIGN

Mama Studio

PRINTED BY

Sincromia

2025

Elleci S.p.A.

Strada Longitudinale A 1258
Zona industriale Mazzocchio
04014 Pontinia (LT) - Italy

Tel. +39 0773.84.00.36

elleci@elleci.it

www.elleci.com

The catalogue is property of Elleci S.p.A. All rights reserved.
Reproductions, even partial, for commercial purposes are forbidden without Elleci's authorization.
Elleci S.p.A. declines any responsibility for possible errors or inaccuracies, besides specifying that the inserted images and colours reproduction are indicative.
Elleci S.p.A. reserves the right to make at any time any changes deemed useful to improve its products present in the catalogue.
Prices are net of VAT, transport and eventual WEEE ECO-contribution.



